

# Araxis Merge File Comparison Report

Produced by **Araxis Merge** on **2024-01-31 11:49:23 Västeuropa, normaltid**. See [www.araxis.com](http://www.araxis.com) for information about Merge. This report uses XHTML and CSS2, and is best viewed with a modern standards-compliant browser. For optimum results when printing this report, use landscape orientation and enable printing of background images and colours in your browser.

## 1. Files compared

#	Location	File	Last Modified
1	C:\Source\AB Guide	AtlaBase.CommonExportFormat_2.8.0.xsd	2022-10-26 14:08:22 Västeuropa, normaltid
2	C:\Source\AB Guide	AtlaBase.CommonExportFormat_2.9.0.xsd	2024-01-31 11:46:28 Västeuropa, normaltid

## 2. Comparison summary

Description	Between Files 1 and 2	
	Text Blocks	Lines
Unchanged	10	3548
Changed	3	10
Inserted	6	79
Removed	0	0

## 3. Comparison options

<b>Whitespace</b>	All differences in whitespace within lines are ignored
<b>Character case</b>	Differences in character case are significant
<b>Line endings</b>	Differences in line endings (CR and LF characters) are ignored
<b>CR/LF characters</b>	Not shown in the comparison detail
<b>Active line-pairing rules</b>	

## 4. Active regular expressions

No regular expressions were active.

## 5. Comparison detail

1	<xs:schema	1	<xs:schema
2	targetNamespace="http://www.atlabase.com/schemas/CommonExportFormat_2.8.0"	2	targetNamespace="http://www.atlabase.com/schemas/CommonExportFormat_2.9.0"
3	xmlns:xs="http://www.w3.org/2001/XMLSchema"	3	xmlns:xs="http://www.w3.org/2001/XMLSchema"
4	xmlns:cef="http://www.atlabase.com/schemas/CommonExportFormat_2.8.0"	4	xmlns:cef="http://www.atlabase.com/schemas/CommonExportFormat_2.9.0"
5	elementFormDefault="qualified">	5	elementFormDefault="qualified">
6		6	
7	<!-- Document root -->	7	<!-- Document root -->
8	<xs:element name="AtlaBase.CommonExportFormat">	8	<xs:element name="AtlaBase.CommonExportFormat">
9	<xs:complexType>	9	<xs:complexType>
10	<xs:choice minOccurs="1" maxOccurs="unbounded">	10	<xs:choice minOccurs="1" maxOccurs="unbounded">
11	<xs:element name="Brand" type="cef:tBrand"/>	11	<xs:element name="Brand" type="cef:tBrand"/>
12	<xs:element name="Filter" type="cef:tFilter"/>	12	<xs:element name="Filter" type="cef:tFilter"/>
13	<xs:element name="Gobo" type="cef:tGobo"/>	13	<xs:element name="Gobo" type="cef:tGobo"/>
14	<xs:element name="Fixture" type="cef:tFixture"/>	14	<xs:element name="Fixture" type="cef:tFixture"/>
15	<xs:element name="MediaServer" type="cef:tMediaServer"/>	15	<xs:element name="MediaServer" type="cef:tMediaServer"/>
16	<xs:element name="Symbol" type="cef:tSymbol"/>	16	<xs:element name="Symbol" type="cef:tSymbol"/>
17	</xs:choice>	17	</xs:choice>
18	</xs:complexType>	18	</xs:complexType>
19	</xs:element>	19	</xs:element>
20		20	
21	<!-- Brand -->	21	<!-- Brand -->
22	<xs:complexType name="tBrand">	22	<xs:complexType name="tBrand">
23	<xs:sequence>	23	<xs:sequence>
24	<xs:element name="Name" type="xs:string" minOccurs="1" maxOccurs="1" />	24	<xs:element name="Name" type="xs:string" minOccurs="1" maxOccurs="1" />
25	</xs:sequence>	25	</xs:sequence>
26	<xs:attribute name="Identifier" type="xs:string" use="required"/>	26	<xs:attribute name="Identifier" type="xs:string" use="required"/>
27	</xs:complexType>	27	</xs:complexType>

```

28
29 <!-- Filter -->
30 <xs:complexType name="tFilter">
31   <xs:sequence>
32     <xs:element name="Color" type="cef:tFilterColor" minOccurs="1" maxOccurs="1" />
33     <xs:element name="HorizontalFrost" type="xs:float" minOccurs="1" maxOccurs="1" />
34     <xs:element name="VerticalFrost" type="xs:float" minOccurs="1" maxOccurs="1" />
35   </xs:sequence>
36   <xs:attribute name="Identifier" type="xs:string" use="required"/>
37   <xs:attribute name="Version" type="xs:unsignedInt" use="required"/>
38   <xs:attribute name="VersionDate" type="xs:date" use="required"/>
39   <xs:attribute name="Brand" type="xs:string" use="required"/>
40   <xs:attribute name="Code" type="xs:string" use="optional"/>
41   <xs:attribute name="Name" type="xs:string" use="optional"/>
42   <xs:attribute name="PartNo" type="xs:string" use="optional"/>
43   <xs:attribute name="Origin" type="xs:string" use="optional"/>
44 </xs:complexType>
45
46 <xs:complexType name="tFilterColor">
47   <xs:sequence>
48     <xs:element name="sRGB" minOccurs="1" maxOccurs="1">
49       <xs:complexType>
50         <xs:attribute name="Red" type="xs:unsignedByte" use="required" />
51         <xs:attribute name="Green" type="xs:unsignedByte" use="required" />
52         <xs:attribute name="Blue" type="xs:unsignedByte" use="required" />
53       </xs:complexType>
54     </xs:element>
55     <xs:element name="CIE1931" minOccurs="0" maxOccurs="1">
56       <xs:complexType>
57         <xs:attribute name="x" type="xs:float" use="required" />
58         <xs:attribute name="y" type="xs:float" use="required" />
59         <xs:attribute name="Y" type="xs:float" use="required" />
60         <xs:attribute name="K" type="xs:unsignedShort" use="required" />
61       </xs:complexType>
62     </xs:element>
63   </xs:sequence>
64 </xs:complexType>
65
66 <!-- Gobo -->
67 <xs:complexType name="tGobo">
68   <xs:sequence>
69     <xs:element name="Type" type="cef:tGoboType" minOccurs="1" maxOccurs="1" />
70     <xs:element name="AnimationDiscRatio" minOccurs="0" maxOccurs="1">
71       <xs:simpleType>
72         <xs:restriction base="xs:float">
73           <xs:minExclusive value="0" />
74           <xs:maxInclusive value="1" />
75         </xs:restriction>
76       </xs:simpleType>
77     </xs:element>
78     <xs:element name="Tags" type="xs:string" minOccurs="0" maxOccurs="1" />
79     <xs:element name="ReplacementGobo" minOccurs="0" maxOccurs="unbounded">
80       <xs:complexType>
81         <xs:attribute name="Identifier" type="xs:string" use="required"/>
82         <xs:attribute name="Version" type="xs:unsignedInt" use="required"/>
83       </xs:complexType>
84     </xs:element>
85   </xs:sequence>
86   <xs:attribute name="Identifier" type="xs:string" use="required"/>
87   <xs:attribute name="Version" type="xs:unsignedInt" use="required"/>
88   <xs:attribute name="VersionDate" type="xs:date" use="required"/>
89   <xs:attribute name="Brand" type="xs:string" use="required"/>
90   <xs:attribute name="Code" type="xs:string" use="optional"/>
91   <xs:attribute name="Name" type="xs:string" use="optional"/>
92   <xs:attribute name="PartNo" type="xs:string" use="optional"/>
93   <xs:attribute name="Origin" type="xs:string" use="optional"/>
94 </xs:complexType>
95
96 <!-- Fixture-->

```

```

28
29 <!-- Filter -->
30 <xs:complexType name="tFilter">
31   <xs:sequence>
32     <xs:element name="Color" type="cef:tFilterColor" minOccurs="1" maxOccurs="1" />
33     <xs:element name="HorizontalFrost" type="xs:float" minOccurs="1" maxOccurs="1" />
34     <xs:element name="VerticalFrost" type="xs:float" minOccurs="1" maxOccurs="1" />
35   </xs:sequence>
36   <xs:attribute name="Identifier" type="xs:string" use="required"/>
37   <xs:attribute name="Version" type="xs:unsignedInt" use="required"/>
38   <xs:attribute name="VersionDate" type="xs:date" use="required"/>
39   <xs:attribute name="Brand" type="xs:string" use="required"/>
40   <xs:attribute name="Code" type="xs:string" use="optional"/>
41   <xs:attribute name="Name" type="xs:string" use="optional"/>
42   <xs:attribute name="PartNo" type="xs:string" use="optional"/>
43   <xs:attribute name="Origin" type="xs:string" use="optional"/>
44 </xs:complexType>
45
46 <xs:complexType name="tFilterColor">
47   <xs:sequence>
48     <xs:element name="sRGB" minOccurs="1" maxOccurs="1">
49       <xs:complexType>
50         <xs:attribute name="Red" type="xs:unsignedByte" use="required" />
51         <xs:attribute name="Green" type="xs:unsignedByte" use="required" />
52         <xs:attribute name="Blue" type="xs:unsignedByte" use="required" />
53       </xs:complexType>
54     </xs:element>
55     <xs:element name="CIE1931" minOccurs="0" maxOccurs="1">
56       <xs:complexType>
57         <xs:attribute name="x" type="xs:float" use="required" />
58         <xs:attribute name="y" type="xs:float" use="required" />
59         <xs:attribute name="Y" type="xs:float" use="required" />
60         <xs:attribute name="K" type="xs:unsignedShort" use="required" />
61       </xs:complexType>
62     </xs:element>
63   </xs:sequence>
64 </xs:complexType>
65
66 <!-- Gobo -->
67 <xs:complexType name="tGobo">
68   <xs:sequence>
69     <xs:element name="Type" type="cef:tGoboType" minOccurs="1" maxOccurs="1" />
70     <xs:element name="AnimationDiscRatio" minOccurs="0" maxOccurs="1">
71       <xs:simpleType>
72         <xs:restriction base="xs:float">
73           <xs:minExclusive value="0" />
74           <xs:maxInclusive value="1" />
75         </xs:restriction>
76       </xs:simpleType>
77     </xs:element>
78     <xs:element name="Tags" type="xs:string" minOccurs="0" maxOccurs="1" />
79     <xs:element name="ReplacementGobo" minOccurs="0" maxOccurs="unbounded">
80       <xs:complexType>
81         <xs:attribute name="Identifier" type="xs:string" use="required"/>
82         <xs:attribute name="Version" type="xs:unsignedInt" use="required"/>
83       </xs:complexType>
84     </xs:element>
85   </xs:sequence>
86   <xs:attribute name="Identifier" type="xs:string" use="required"/>
87   <xs:attribute name="Version" type="xs:unsignedInt" use="required"/>
88   <xs:attribute name="VersionDate" type="xs:date" use="required"/>
89   <xs:attribute name="Brand" type="xs:string" use="required"/>
90   <xs:attribute name="Code" type="xs:string" use="optional"/>
91   <xs:attribute name="Name" type="xs:string" use="optional"/>
92   <xs:attribute name="PartNo" type="xs:string" use="optional"/>
93   <xs:attribute name="Origin" type="xs:string" use="optional"/>
94 </xs:complexType>
95
96 <!-- Fixture-->

```

```

97 <xs:complexType name="tFixture">
98   <xs:sequence>
99     <xs:element name="Class" type="xs:string" minOccurs="1" maxOccurs="1"/>
100    <xs:element name="Category" type="xs:string" minOccurs="1" maxOccurs="1"/>
101    <xs:element name="SymbolIdentifier" type="xs:string" minOccurs="0" maxOccurs="1"/>
102    <xs:element name="RDM" minOccurs="0" maxOccurs="1">
103      <xs:complexType>
104        <xs:sequence>
105          <xs:element name="ManufacturerId" minOccurs="1" maxOccurs="1">
106            <xs:simpleType>
107              <xs:restriction base="xs:unsignedShort">
108                <xs:minInclusive value="1"/>
109                <xs:maxInclusive value="32767"/>
110              </xs:restriction>
111            </xs:simpleType>
112          </xs:element>
113          <xs:element name="DeviceModelId" type="xs:unsignedShort" minOccurs="1" maxOccurs="1"/>
114        </xs:sequence>
115      </xs:complexType>
116    </xs:element>
117    <xs:element name="Weight" type="xs:string" minOccurs="1" maxOccurs="1"/>
118    <xs:element name="Wattage" type="xs:string" minOccurs="1" maxOccurs="1"/>
119    <xs:element name="CellCount" type="xs:unsignedShort" minOccurs="1" maxOccurs="1" />
120    <xs:element name="Shutter" minOccurs="1" maxOccurs="1">
121      <xs:complexType>
122        <xs:sequence>
123          <xs:element name="MinFrequency" type="xs:float" minOccurs="1" maxOccurs="1"/>
124          <xs:element name="MaxFrequency" type="xs:float" minOccurs="1" maxOccurs="1"/>
125          <xs:element name="MinDuration" type="xs:float" minOccurs="1" maxOccurs="1"/>
126          <xs:element name="MaxDuration" type="xs:float" minOccurs="1" maxOccurs="1"/>
127        </xs:sequence>
128      </xs:complexType>
129    </xs:element>
130    <xs:element name="FramingShutters" minOccurs="1" maxOccurs="1">
131      <xs:simpleType>
132        <xs:restriction base="xs:string">
133          <xs:enumeration value="None" />
134          <xs:enumeration value="OrthogonalSinglePointShutters" />
135          <xs:enumeration value="OrthogonalTwoPointShutters" />
136          <xs:enumeration value="PerimetralSinglePointShutters" />
137          <xs:enumeration value="ExternalBarndoors" />
138          <xs:enumeration value="InternalBarndoors" />
139        </xs:restriction>
140      </xs:simpleType>
141    </xs:element>
142    <xs:element name="ColorFlags" minOccurs="0" maxOccurs="1">
143      <xs:complexType>
144        <xs:sequence>
145          <xs:element name="Cyan" type="cef:tFixtureColorFlag" minOccurs="0" maxOccurs="1" />
146          <xs:element name="Magenta" type="cef:tFixtureColorFlag" minOccurs="0" maxOccurs="1" />
147          <xs:element name="Yellow" type="cef:tFixtureColorFlag" minOccurs="0" maxOccurs="1" />
148          <xs:element name="CT0" type="cef:tFixtureColorFlag" minOccurs="0" maxOccurs="1" />
149          <xs:element name="CTB" type="cef:tFixtureColorFlag" minOccurs="0" maxOccurs="1" />
150        </xs:sequence>
151      </xs:complexType>
152    </xs:element>
153    <xs:element name="FrostFlags" minOccurs="0" maxOccurs="1">
154      <xs:complexType>
155        <xs:sequence>
156          <xs:element name="Flag" minOccurs="1" maxOccurs="unbounded">
157            <xs:complexType>
158              <xs:attribute name="Name" type="xs:string" use="optional" />
159              <xs:attribute name="Frost" type="cef:tPositiveFloat" use="required" />

```

```

97 <xs:complexType name="tFixture">
98   <xs:sequence>
99     <xs:element name="Class" type="xs:string" minOccurs="1" maxOccurs="1"/>
100    <xs:element name="Category" type="xs:string" minOccurs="1" maxOccurs="1"/>
101    <xs:element name="SymbolIdentifier" type="xs:string" minOccurs="0" maxOccurs="1"/>
102    <xs:element name="RDM" minOccurs="0" maxOccurs="1">
103      <xs:complexType>
104        <xs:sequence>
105          <xs:element name="ManufacturerId" minOccurs="1" maxOccurs="1">
106            <xs:simpleType>
107              <xs:restriction base="xs:unsignedShort">
108                <xs:minInclusive value="1"/>
109                <xs:maxInclusive value="32767"/>
110              </xs:restriction>
111            </xs:simpleType>
112          </xs:element>
113          <xs:element name="DeviceModelId" type="xs:unsignedShort" minOccurs="1" maxOccurs="1"/>
114        </xs:sequence>
115      </xs:complexType>
116    </xs:element>
117    <xs:element name="Weight" type="xs:string" minOccurs="1" maxOccurs="1"/>
118    <xs:element name="Wattage" type="xs:string" minOccurs="1" maxOccurs="1"/>
119    <xs:element name="CellCount" type="xs:unsignedShort" minOccurs="1" maxOccurs="1" />
120    <xs:element name="Shutter" minOccurs="1" maxOccurs="1">
121      <xs:complexType>
122        <xs:sequence>
123          <xs:element name="MinFrequency" type="xs:float" minOccurs="1" maxOccurs="1"/>
124          <xs:element name="MaxFrequency" type="xs:float" minOccurs="1" maxOccurs="1"/>
125          <xs:element name="MinDuration" type="xs:float" minOccurs="1" maxOccurs="1"/>
126          <xs:element name="MaxDuration" type="xs:float" minOccurs="1" maxOccurs="1"/>
127        </xs:sequence>
128      </xs:complexType>
129    </xs:element>
130    <xs:element name="FramingShutters" minOccurs="1" maxOccurs="1">
131      <xs:simpleType>
132        <xs:restriction base="xs:string">
133          <xs:enumeration value="None" />
134          <xs:enumeration value="OrthogonalSinglePointShutters" />
135          <xs:enumeration value="OrthogonalTwoPointShutters" />
136          <xs:enumeration value="PerimetralSinglePointShutters" />
137          <xs:enumeration value="ExternalBarndoors" />
138          <xs:enumeration value="InternalBarndoors" />
139        </xs:restriction>
140      </xs:simpleType>
141    </xs:element>
142    <xs:element name="ColorFlags" minOccurs="0" maxOccurs="1">
143      <xs:complexType>
144        <xs:sequence>
145          <xs:element name="Cyan" type="cef:tFixtureColorFlag" minOccurs="0" maxOccurs="1" />
146          <xs:element name="Magenta" type="cef:tFixtureColorFlag" minOccurs="0" maxOccurs="1" />
147          <xs:element name="Yellow" type="cef:tFixtureColorFlag" minOccurs="0" maxOccurs="1" />
148          <xs:element name="CT0" type="cef:tFixtureColorFlag" minOccurs="0" maxOccurs="1" />
149          <xs:element name="CTB" type="cef:tFixtureColorFlag" minOccurs="0" maxOccurs="1" />
150        </xs:sequence>
151      </xs:complexType>
152    </xs:element>
153    <xs:element name="FrostFlags" minOccurs="0" maxOccurs="1">
154      <xs:complexType>
155        <xs:sequence>
156          <xs:element name="Flag" minOccurs="1" maxOccurs="unbounded">
157            <xs:complexType>
158              <xs:attribute name="Name" type="xs:string" use="optional" />
159              <xs:attribute name="Frost" type="cef:tPositiveFloat" use="required" />

```

```

160         <xs:attribute name="Index" type="xs:unsignedInt" use="required"/>
161     </xs:complexType>
162 </xs:element>
163 </xs:sequence>
164 </xs:complexType>
165 </xs:element>
166 <xs:element name="Axis" minOccurs="0" maxOccurs="unbounded">
167     <xs:complexType>
168         <xs:sequence>
169             <xs:element name="Range" type="xs:float" minOccurs="1" maxOccurs="1" />
170             <xs:element name="Trim" type="xs:float" minOccurs="1" maxOccurs="1" />
171             <xs:element name="Inverse" type="cef:tBoolean" minOccurs="1" maxOccurs="1" />
172             <xs:element name="MinTime" type="xs:float" minOccurs="1" maxOccurs="1" />
173         </xs:sequence>
174         <xs:attribute name="Name" type="cef:tFixtureAxisName" use="required" />
175         <xs:attribute name="Index" type="xs:unsignedByte" use="required" />
176     </xs:complexType>
177 </xs:element>
178 <xs:element name="Part" minOccurs="0" maxOccurs="unbounded">
179     <xs:complexType>
180         <xs:sequence>
181             <xs:element name="Host" minOccurs="0" maxOccurs="1">
182                 <xs:complexType>
183                     <xs:attribute name="PartName" type="xs:string" use="required" />
184                     <xs:attribute name="AxisName" type="cef:tFixtureAxisName" use="required" />
185                     <xs:attribute name="AxisIndex" type="xs:unsignedByte" use="required" />
186                 </xs:complexType>
187             </xs:element>
188             <xs:element name="Model" minOccurs="0" maxOccurs="1">
189                 <xs:complexType>
190                     <xs:sequence>
191                         <xs:element name="Shape" minOccurs="1" maxOccurs="1">
192                             <xs:simpleType>
193                                 <xs:restriction base="xs:string">
194                                     <xs:enumeration value="Box" />
195                                     <xs:enumeration value="Tube" />
196                                     <xs:enumeration value="Sphere" />
197                                     <xs:enumeration value="PAR" />
198                                     <xs:enumeration value="TubeWithBox" />
199                                     <xs:enumeration value="ConeWithTube" />
200                                     <xs:enumeration value="SymmetricEgg" />
201                                     <xs:enumeration value="FlatBottomEgg" />
202                                     <xs:enumeration value="FlatBottomTubeEgg" />
203                                     <xs:enumeration value="Scanner" />
204                                     <xs:enumeration value="YokeBase" />
205                                     <xs:enumeration value="YokeArm" />
206                                     <xs:enumeration value="FrontmountBox" />
207                                     <xs:enumeration value="FrontmountTube" />
208                                     <xs:enumeration value="FrontmountScanner" />
209                                 </xs:restriction>
210                             </xs:simpleType>
211                         </xs:element>
212                         <xs:element name="Width" type="xs:float" minOccurs="1" maxOccurs="1" />
213                         <xs:element name="Height" type="xs:float" minOccurs="1" maxOccurs="1" />
214                         <xs:element name="Length" type="xs:float" minOccurs="1" maxOccurs="1" />
215                         <xs:element name="Aperture" type="xs:float" minOccurs="1" maxOccurs="1" />
216                     </xs:sequence>
217                 </xs:complexType>
218             </xs:element>
219         </xs:sequence>
220         <xs:attribute name="Name" type="xs:string" use="required" />
221     </xs:complexType>
222 </xs:element>
223 <xs:element name="LightSource" minOccurs="0" maxOccurs="unbounded">
224     <xs:complexType>
225         <xs:sequence>
226             <xs:element name="Host" minOccurs="0" maxOccurs="1">
227                 <xs:complexType>

```

```

160         <xs:attribute name="Index" type="xs:unsignedInt" use="required"/>
161     </xs:complexType>
162 </xs:element>
163 </xs:sequence>
164 </xs:complexType>
165 </xs:element>
166 <xs:element name="Axis" minOccurs="0" maxOccurs="unbounded">
167     <xs:complexType>
168         <xs:sequence>
169             <xs:element name="Range" type="xs:float" minOccurs="1" maxOccurs="1" />
170             <xs:element name="Trim" type="xs:float" minOccurs="1" maxOccurs="1" />
171             <xs:element name="Inverse" type="cef:tBoolean" minOccurs="1" maxOccurs="1" />
172             <xs:element name="MinTime" type="xs:float" minOccurs="1" maxOccurs="1" />
173         </xs:sequence>
174         <xs:attribute name="Name" type="cef:tFixtureAxisName" use="required" />
175         <xs:attribute name="Index" type="xs:unsignedByte" use="required" />
176     </xs:complexType>
177 </xs:element>
178 <xs:element name="Part" minOccurs="0" maxOccurs="unbounded">
179     <xs:complexType>
180         <xs:sequence>
181             <xs:element name="Host" minOccurs="0" maxOccurs="1">
182                 <xs:complexType>
183                     <xs:attribute name="PartName" type="xs:string" use="required" />
184                     <xs:attribute name="AxisName" type="cef:tFixtureAxisName" use="required" />
185                     <xs:attribute name="AxisIndex" type="xs:unsignedByte" use="required" />
186                 </xs:complexType>
187             </xs:element>
188             <xs:element name="Model" minOccurs="0" maxOccurs="1">
189                 <xs:complexType>
190                     <xs:sequence>
191                         <xs:element name="Shape" minOccurs="1" maxOccurs="1">
192                             <xs:simpleType>
193                                 <xs:restriction base="xs:string">
194                                     <xs:enumeration value="Box" />
195                                     <xs:enumeration value="Tube" />
196                                     <xs:enumeration value="Sphere" />
197                                     <xs:enumeration value="PAR" />
198                                     <xs:enumeration value="TubeWithBox" />
199                                     <xs:enumeration value="ConeWithTube" />
200                                     <xs:enumeration value="SymmetricEgg" />
201                                     <xs:enumeration value="FlatBottomEgg" />
202                                     <xs:enumeration value="FlatBottomTubeEgg" />
203                                     <xs:enumeration value="Scanner" />
204                                     <xs:enumeration value="YokeBase" />
205                                     <xs:enumeration value="YokeArm" />
206                                     <xs:enumeration value="FrontmountBox" />
207                                     <xs:enumeration value="FrontmountTube" />
208                                     <xs:enumeration value="FrontmountScanner" />
209                                 </xs:restriction>
210                             </xs:simpleType>
211                         </xs:element>
212                         <xs:element name="Width" type="xs:float" minOccurs="1" maxOccurs="1" />
213                         <xs:element name="Height" type="xs:float" minOccurs="1" maxOccurs="1" />
214                         <xs:element name="Length" type="xs:float" minOccurs="1" maxOccurs="1" />
215                         <xs:element name="Aperture" type="xs:float" minOccurs="1" maxOccurs="1" />
216                     </xs:sequence>
217                 </xs:complexType>
218             </xs:element>
219         </xs:sequence>
220         <xs:attribute name="Name" type="xs:string" use="required" />
221     </xs:complexType>
222 </xs:element>
223 <xs:element name="LightSource" minOccurs="0" maxOccurs="unbounded">
224     <xs:complexType>
225         <xs:sequence>
226             <xs:element name="Host" minOccurs="0" maxOccurs="1">
227                 <xs:complexType>

```



```

288     </xs:complexType>
289 </xs:element>
290 <xs:element name="ColourMixing" minOccurs="1" maxOccurs="1">
291   <xs:complexType>
292     <xs:sequence>
293       <xs:element name="ShutterRelation" minOccurs="1" maxOccurs="1">
294         <xs:simpleType>
295           <xs:restriction base="xs:string">
296             <xs:enumeration value="Separated" />
297             <xs:enumeration value="Integrated" />
298           </xs:restriction>
299         </xs:simpleType>
300       </xs:element>
301       <xs:element name="CIE" minOccurs="0" maxOccurs="1">
302         <xs:complexType>
303           <xs:attribute name="ChromaticityXMin" type="cef:tChromaticityValue"
304             use="required" />
305           <xs:attribute name="ChromaticityXMax" type="cef:tChromaticityValue"
306             use="required" />
307           <xs:attribute name="ChromaticityYMin" type="cef:tChromaticityValue"
308             use="required" />
309           <xs:attribute name="ChromaticityYMax" type="cef:tChromaticityValue"
310             use="required" />
311         </xs:complexType>
312       </xs:element>
313     </xs:sequence>
314   </xs:complexType>
315 </xs:element>
316 <xs:element name="Optics" minOccurs="0" maxOccurs="unbounded">
317   <xs:complexType>
318     <xs:sequence>
319       <xs:element name="Wattage" type="xs:float" minOccurs="1" maxOccurs="1" />
320       <xs:element name="Shift" minOccurs="0" maxOccurs="1">
321         <xs:complexType>
322           <xs:sequence>
323             <xs:element name="MaxHorizontal" type="cef:tPositiveFloat" minOccu
324               rs="1" maxOccurs="1" />
325             <xs:element name="MaxVerticalNegative" type="cef:tPositiveFloat" m
326               inOccurs="1" maxOccurs="1" />
327             <xs:element name="MaxVerticalPositive" type="cef:tPositiveFloat" m
328               inOccurs="1" maxOccurs="1" />
329           </xs:sequence>
330         </xs:complexType>
331       </xs:element>
332       <xs:element name="Narrow" type="cef:tFixtureLightSourceOpticTraits" minO
333         ccurs="0" maxOccurs="1" />
334       <xs:element name="Wide" type="cef:tFixtureLightSourceOpticTraits" minOcc
335         urs="0" maxOccurs="1" />
336     </xs:sequence>
337     <xs:attribute name="Identifier" type="xs:string" use="required"/>
338     <xs:attribute name="Name" type="xs:string" use="required"/>
339   </xs:complexType>
340 </xs:element>
341 <xs:element name="ApertureType" minOccurs="1" maxOccurs="1">
342   <xs:simpleType>
343     <xs:restriction base="xs:string">
344       <xs:enumeration value="RoundProfile" />
345       <xs:enumeration value="SquareSharp" />
346       <xs:enumeration value="RoundPC" />
347       <xs:enumeration value="RoundFresnel" />
348       <xs:enumeration value="RoundPAR" />
349       <xs:enumeration value="SquareSymmetric" />
350       <xs:enumeration value="SquareAssymetric" />
351       <xs:enumeration value="RoundLambertian" />
352       <xs:enumeration value="SquareLambertian" />
353       <xs:enumeration value="SquarePanel" />
354       <xs:enumeration value="DonutLambertian" />
355       <xs:enumeration value="DonutSymmetric" />
356       <xs:enumeration value="RoundBeam" />

```

```

288     </xs:complexType>
289 </xs:element>
290 <xs:element name="ColourMixing" minOccurs="1" maxOccurs="1">
291   <xs:complexType>
292     <xs:sequence>
293       <xs:element name="ShutterRelation" minOccurs="1" maxOccurs="1">
294         <xs:simpleType>
295           <xs:restriction base="xs:string">
296             <xs:enumeration value="Separated" />
297             <xs:enumeration value="Integrated" />
298           </xs:restriction>
299         </xs:simpleType>
300       </xs:element>
301       <xs:element name="CIE" minOccurs="0" maxOccurs="1">
302         <xs:complexType>
303           <xs:attribute name="ChromaticityXMin" type="cef:tChromaticityValue"
304             use="required" />
305           <xs:attribute name="ChromaticityXMax" type="cef:tChromaticityValue"
306             use="required" />
307           <xs:attribute name="ChromaticityYMin" type="cef:tChromaticityValue"
308             use="required" />
309           <xs:attribute name="ChromaticityYMax" type="cef:tChromaticityValue"
310             use="required" />
311         </xs:complexType>
312       </xs:element>
313     </xs:sequence>
314   </xs:complexType>
315 </xs:element>
316 <xs:element name="Optics" minOccurs="0" maxOccurs="unbounded">
317   <xs:complexType>
318     <xs:sequence>
319       <xs:element name="Wattage" type="xs:float" minOccurs="1" maxOccurs="1" />
320       <xs:element name="Shift" minOccurs="0" maxOccurs="1">
321         <xs:complexType>
322           <xs:sequence>
323             <xs:element name="MaxHorizontal" type="cef:tPositiveFloat" minOccu
324               rs="1" maxOccurs="1" />
325             <xs:element name="MaxVerticalNegative" type="cef:tPositiveFloat" m
326               inOccurs="1" maxOccurs="1" />
327             <xs:element name="MaxVerticalPositive" type="cef:tPositiveFloat" m
328               inOccurs="1" maxOccurs="1" />
329           </xs:sequence>
330         </xs:complexType>
331       </xs:element>
332       <xs:element name="Narrow" type="cef:tFixtureLightSourceOpticTraits" minO
333         ccurs="0" maxOccurs="1" />
334       <xs:element name="Wide" type="cef:tFixtureLightSourceOpticTraits" minOcc
335         urs="0" maxOccurs="1" />
336     </xs:sequence>
337     <xs:attribute name="Identifier" type="xs:string" use="required"/>
338     <xs:attribute name="Name" type="xs:string" use="required"/>
339   </xs:complexType>
340 </xs:element>
341 <xs:element name="ApertureType" minOccurs="1" maxOccurs="1">
342   <xs:simpleType>
343     <xs:restriction base="xs:string">
344       <xs:enumeration value="RoundProfile" />
345       <xs:enumeration value="SquareSharp" />
346       <xs:enumeration value="RoundPC" />
347       <xs:enumeration value="RoundFresnel" />
348       <xs:enumeration value="RoundPAR" />
349       <xs:enumeration value="SquareSymmetric" />
350       <xs:enumeration value="SquareAssymetric" />
351       <xs:enumeration value="RoundLambertian" />
352       <xs:enumeration value="SquareLambertian" />
353       <xs:enumeration value="SquarePanel" />
354       <xs:enumeration value="DonutLambertian" />
355       <xs:enumeration value="DonutSymmetric" />
356       <xs:enumeration value="RoundBeam" />

```

```
348         <xs:enumeration value="Spherical" />
349     </xs:restriction>
350 </xs:simpleType>
351 </xs:element>
352 <xs:element name="Aperture" minOccurs="0" maxOccurs="unbounded">
353     <xs:complexType>
354         <xs:attribute name="Cell" type="xs:unsignedInt" use="required" />
355         <xs:attribute name="X" type="xs:float" use="required" />
356         <xs:attribute name="Y" type="xs:float" use="required" />
357         <xs:attribute name="Diameter" type="xs:float" use="optional" />
358         <xs:attribute name="Width" type="xs:float" use="optional" />
359         <xs:attribute name="Height" type="xs:float" use="optional" />
360         <xs:attribute name="PixelPitch" type="xs:float" use="optional" />
361         <xs:attribute name="PixelSize" type="xs:float" use="optional" />
362         <xs:attribute name="InnerDiameter" type="xs:float" use="optional" />
363         <xs:attribute name="OuterDiameter" type="xs:float" use="optional" />
364         <xs:attribute name="StartAngle" type="xs:float" use="optional" />
365         <xs:attribute name="EndAngle" type="xs:float" use="optional" />
366     </xs:complexType>
367 </xs:element>
368 </xs:sequence>
369 <xs:attribute name="Name" type="xs:string" use="optional"/>
370 </xs:complexType>
371 </xs:element>
372 <xs:element name="Wheel" minOccurs="0" maxOccurs="unbounded">
373     <xs:complexType>
374         <xs:sequence>
375             <xs:element name="Type" minOccurs="1" maxOccurs="1">
376                 <xs:simpleType>
377                     <xs:restriction base="xs:string">
378                         <xs:enumeration value="Wheel" />
379                         <xs:enumeration value="Scroller" />
380                     </xs:restriction>
381                 </xs:simpleType>
382             </xs:element>
383             <xs:element name="MinRotationTime" type="xs:float" minOccurs="1" maxOccurs="1" />
384             <xs:element name="MaxRotationTime" type="xs:float" minOccurs="1" maxOccurs="1" />
385             <xs:element name="MinFrameRotationTime" type="xs:float" minOccurs="1" maxOccurs="1" />
386             <xs:element name="MaxFrameRotationTime" type="xs:float" minOccurs="1" maxOccurs="1" />
387             <xs:element name="Slots">
388                 <xs:complexType>
389                     <xs:choice minOccurs="0" maxOccurs="unbounded">
390                         <xs:element name="Open">
391                             <xs:complexType></xs:complexType>
392                         </xs:element>
393                         <xs:element name="Filter">
394                             <xs:complexType>
395                                 <xs:attribute name="Identifier" type="xs:string" use="required"/>
396                                 <xs:attribute name="Brand" type="xs:string" use="required"/>
397                                 <xs:attribute name="Code" type="xs:string" use="optional"/>
398                                 <xs:attribute name="Name" type="xs:string" use="optional"/>
399                                 <xs:attribute name="PartNo" type="xs:string" use="optional"/>
400                                 <xs:attribute name="Origin" type="xs:string" use="optional"/>
401                             </xs:complexType>
402                         </xs:element>
403                         <xs:element name="Gobo">
404                             <xs:complexType>
405                                 <xs:attribute name="Identifier" type="xs:string" use="required"/>
406                                 <xs:attribute name="Brand" type="xs:string" use="required"/>
407                                 <xs:attribute name="Code" type="xs:string" use="optional"/>
408                                 <xs:attribute name="Name" type="xs:string" use="optional"/>
409                                 <xs:attribute name="PartNo" type="xs:string" use="optional"/>
410                                 <xs:attribute name="Origin" type="xs:string" use="optional"/>
411                                 <xs:attribute name="Type" type="cef:tGoboType" use="required"/>
412                             </xs:complexType>
```

```
348         <xs:enumeration value="Spherical" />
349     </xs:restriction>
350 </xs:simpleType>
351 </xs:element>
352 <xs:element name="Aperture" minOccurs="0" maxOccurs="unbounded">
353     <xs:complexType>
354         <xs:attribute name="Cell" type="xs:unsignedInt" use="required" />
355         <xs:attribute name="X" type="xs:float" use="required" />
356         <xs:attribute name="Y" type="xs:float" use="required" />
357         <xs:attribute name="Diameter" type="xs:float" use="optional" />
358         <xs:attribute name="Width" type="xs:float" use="optional" />
359         <xs:attribute name="Height" type="xs:float" use="optional" />
360         <xs:attribute name="PixelPitch" type="xs:float" use="optional" />
361         <xs:attribute name="PixelSize" type="xs:float" use="optional" />
362         <xs:attribute name="InnerDiameter" type="xs:float" use="optional" />
363         <xs:attribute name="OuterDiameter" type="xs:float" use="optional" />
364         <xs:attribute name="StartAngle" type="xs:float" use="optional" />
365         <xs:attribute name="EndAngle" type="xs:float" use="optional" />
366     </xs:complexType>
367 </xs:element>
368 </xs:sequence>
369 <xs:attribute name="Name" type="xs:string" use="optional"/>
370 </xs:complexType>
371 </xs:element>
372 <xs:element name="Wheel" minOccurs="0" maxOccurs="unbounded">
373     <xs:complexType>
374         <xs:sequence>
375             <xs:element name="Type" minOccurs="1" maxOccurs="1">
376                 <xs:simpleType>
377                     <xs:restriction base="xs:string">
378                         <xs:enumeration value="Wheel" />
379                         <xs:enumeration value="Scroller" />
380                     </xs:restriction>
381                 </xs:simpleType>
382             </xs:element>
383             <xs:element name="MinRotationTime" type="xs:float" minOccurs="1" maxOccurs="1" />
384             <xs:element name="MaxRotationTime" type="xs:float" minOccurs="1" maxOccurs="1" />
385             <xs:element name="MinFrameRotationTime" type="xs:float" minOccurs="1" maxOccurs="1" />
386             <xs:element name="MaxFrameRotationTime" type="xs:float" minOccurs="1" maxOccurs="1" />
387             <xs:element name="Slots">
388                 <xs:complexType>
389                     <xs:choice minOccurs="0" maxOccurs="unbounded">
390                         <xs:element name="Open">
391                             <xs:complexType></xs:complexType>
392                         </xs:element>
393                         <xs:element name="Filter">
394                             <xs:complexType>
395                                 <xs:attribute name="Identifier" type="xs:string" use="required"/>
396                                 <xs:attribute name="Brand" type="xs:string" use="required"/>
397                                 <xs:attribute name="Code" type="xs:string" use="optional"/>
398                                 <xs:attribute name="Name" type="xs:string" use="optional"/>
399                                 <xs:attribute name="PartNo" type="xs:string" use="optional"/>
400                                 <xs:attribute name="Origin" type="xs:string" use="optional"/>
401                             </xs:complexType>
402                         </xs:element>
403                         <xs:element name="Gobo">
404                             <xs:complexType>
405                                 <xs:attribute name="Identifier" type="xs:string" use="required"/>
406                                 <xs:attribute name="Brand" type="xs:string" use="required"/>
407                                 <xs:attribute name="Code" type="xs:string" use="optional"/>
408                                 <xs:attribute name="Name" type="xs:string" use="optional"/>
409                                 <xs:attribute name="PartNo" type="xs:string" use="optional"/>
410                                 <xs:attribute name="Origin" type="xs:string" use="optional"/>
411                                 <xs:attribute name="Type" type="cef:tGoboType" use="required"/>
412                             </xs:complexType>
```

```
413     </xs:element>
414   </xs:choice>
415 </xs:complexType>
416 </xs:element>
417 </xs:sequence>
418 <xs:attribute name="Identifier" type="xs:string" use="required"/>
419 <xs:attribute name="Name" type="xs:string" use="required"/>
420 <xs:attribute name="Index" type="xs:unsignedInt" use="required"/>
421 </xs:complexType>
422 </xs:element>
423 <xs:element name="DmxMode" minOccurs="0" maxOccurs="unbounded">
424   <xs:complexType>
425     <xs:sequence>
426       <xs:element name="Option" minOccurs="0" maxOccurs="unbounded">
427         <xs:complexType>
428           <xs:attribute name="Name" type="xs:string" use="required" />
429           <xs:attribute name="Type" use="required">
430             <xs:simpleType>
431               <xs:restriction base="xs:string">
432                 <xs:enumeration value="Integer" />
433                 <xs:enumeration value="Boolean" />
434                 <xs:enumeration value="Text" />
435               </xs:restriction>
436             </xs:simpleType>
437           </xs:attribute>
438           <xs:attribute name="Value" type="xs:string" use="required" />
439         </xs:complexType>
440       </xs:element>
441       <xs:element name="ChannelLayout" minOccurs="1" maxOccurs="1">
442         <xs:complexType>
443           <xs:sequence>
444             <xs:element name="Channel" minOccurs="0" maxOccurs="512">
445               <xs:complexType>
446                 <xs:choice minOccurs="0" maxOccurs="unbounded">
447                   <!-- Additive light output -->
448                   <xs:element name="SetLightSuperIntensityLevel" type="cef:tSimpleCe
449 llLevelCommand" minOccurs="0" maxOccurs="unbounded" />
450                   <xs:element name="SetLightEnabled" type="cef:tSetCellLightEnabledC
451 ommand" minOccurs="0" maxOccurs="unbounded" />
452                   <xs:element name="SetLightIntensityLevel" type="cef:tSimpleCellLev
453 elCommand" minOccurs="0" maxOccurs="unbounded" />
454                   <xs:element name="SetLightColorRenderingIndex" type="cef:tSetCellL
455 ightColorRenderingIndexLevelCommand" minOccurs="0" maxOccurs="unbounded" />
456                   <xs:element name="SetLightMode" type="cef:tSetLightModeCommand" mi
457 nOccurs="0" maxOccurs="unbounded" />
458                   <xs:element name="SetLightModesMixLevel" type="cef:tSetLightModesM
459 ixLevelCommand" minOccurs="0" maxOccurs="unbounded" />
460                   <xs:element name="SetWhiteLightLevel" type="cef:tSetCellLightWideL
461 evelCommand" minOccurs="0" maxOccurs="unbounded" />
462                   <xs:element name="SetRedLightLevel" type="cef:tSetCellLightWideLev
463 elCommand" minOccurs="0" maxOccurs="unbounded" />
464                   <xs:element name="SetGreenLightLevel" type="cef:tSetCellLightWideL
465 evelCommand" minOccurs="0" maxOccurs="unbounded" />
466                   <xs:element name="SetBlueLightLevel" type="cef:tSetCellLightWideLe
467 velCommand" minOccurs="0" maxOccurs="unbounded" />
468                   <xs:element name="SetAuxColor1LightLevel" type="cef:tSetCellLightW
469 ideLevelCommand" minOccurs="0" maxOccurs="unbounded" />
470                   <xs:element name="SetAuxColor2LightLevel" type="cef:tSetCellLightW
471 ideLevelCommand" minOccurs="0" maxOccurs="unbounded" />
472                   <xs:element name="SetAuxColor3LightLevel" type="cef:tSetCellLightW
473 ideLevelCommand" minOccurs="0" maxOccurs="unbounded" />
474                   <xs:element name="SetAuxColor4LightLevel" type="cef:tSetCellLightW
475 ideLevelCommand" minOccurs="0" maxOccurs="unbounded" />
476                   <xs:element name="SetAuxColor5LightLevel" type="cef:tSetCellLightW
477 ideLevelCommand" minOccurs="0" maxOccurs="unbounded" />
478                   <xs:element name="SetLightColorTemperatureLevel" type="cef:tSetCel
479 llLightColorTemperatureLevelCommand" minOccurs="0" maxOccurs="unbounded" />
```

```
413     </xs:element>
414   </xs:choice>
415 </xs:complexType>
416 </xs:element>
417 </xs:sequence>
418 <xs:attribute name="Identifier" type="xs:string" use="required"/>
419 <xs:attribute name="Name" type="xs:string" use="required"/>
420 <xs:attribute name="Index" type="xs:unsignedInt" use="required"/>
421 </xs:complexType>
422 </xs:element>
423 <xs:element name="DmxMode" minOccurs="0" maxOccurs="unbounded">
424   <xs:complexType>
425     <xs:sequence>
426       <xs:element name="Option" minOccurs="0" maxOccurs="unbounded">
427         <xs:complexType>
428           <xs:attribute name="Name" type="xs:string" use="required" />
429           <xs:attribute name="Type" use="required">
430             <xs:simpleType>
431               <xs:restriction base="xs:string">
432                 <xs:enumeration value="Integer" />
433                 <xs:enumeration value="Boolean" />
434                 <xs:enumeration value="Text" />
435               </xs:restriction>
436             </xs:simpleType>
437           </xs:attribute>
438           <xs:attribute name="Value" type="xs:string" use="required" />
439         </xs:complexType>
440       </xs:element>
441       <xs:element name="ChannelLayout" minOccurs="1" maxOccurs="1">
442         <xs:complexType>
443           <xs:sequence>
444             <xs:element name="Channel" minOccurs="0" maxOccurs="512">
445               <xs:complexType>
446                 <xs:choice minOccurs="0" maxOccurs="unbounded">
447                   <!-- Additive light output -->
448                   <xs:element name="SetLightSuperIntensityLevel" type="cef:tSimpleCe
449 llLevelCommand" minOccurs="0" maxOccurs="unbounded" />
450                   <xs:element name="SetLightEnabled" type="cef:tSetCellLightEnabledC
451 ommand" minOccurs="0" maxOccurs="unbounded" />
452                   <xs:element name="SetLightIntensityLevel" type="cef:tSimpleCellLev
453 elCommand" minOccurs="0" maxOccurs="unbounded" />
454                   <xs:element name="SetLightColorRenderingIndex" type="cef:tSetCellL
455 ightColorRenderingIndexLevelCommand" minOccurs="0" maxOccurs="unbounded" />
456                   <xs:element name="SetLightMode" type="cef:tSetLightModeCommand" mi
457 nOccurs="0" maxOccurs="unbounded" />
458                   <xs:element name="SetLightModesMixLevel" type="cef:tSetLightModesM
459 ixLevelCommand" minOccurs="0" maxOccurs="unbounded" />
460                   <xs:element name="SetWhiteLightLevel" type="cef:tSetCellLightWideL
461 evelCommand" minOccurs="0" maxOccurs="unbounded" />
462                   <xs:element name="SetRedLightLevel" type="cef:tSetCellLightWideLev
463 elCommand" minOccurs="0" maxOccurs="unbounded" />
464                   <xs:element name="SetGreenLightLevel" type="cef:tSetCellLightWideL
465 evelCommand" minOccurs="0" maxOccurs="unbounded" />
466                   <xs:element name="SetBlueLightLevel" type="cef:tSetCellLightWideLe
467 velCommand" minOccurs="0" maxOccurs="unbounded" />
468                   <xs:element name="SetAuxColor1LightLevel" type="cef:tSetCellLightW
469 ideLevelCommand" minOccurs="0" maxOccurs="unbounded" />
470                   <xs:element name="SetAuxColor2LightLevel" type="cef:tSetCellLightW
471 ideLevelCommand" minOccurs="0" maxOccurs="unbounded" />
472                   <xs:element name="SetAuxColor3LightLevel" type="cef:tSetCellLightW
473 ideLevelCommand" minOccurs="0" maxOccurs="unbounded" />
474                   <xs:element name="SetAuxColor4LightLevel" type="cef:tSetCellLightW
475 ideLevelCommand" minOccurs="0" maxOccurs="unbounded" />
476                   <xs:element name="SetAuxColor5LightLevel" type="cef:tSetCellLightW
477 ideLevelCommand" minOccurs="0" maxOccurs="unbounded" />
478                   <xs:element name="SetLightColorTemperatureLevel" type="cef:tSetCel
479 llLightColorTemperatureLevelCommand" minOccurs="0" maxOccurs="unbounded" />
480                   <xs:element name="SetLightColorTemperatureLevelRange"
481 type="cef:tSetCellLightColorTemperatureLevelCommand" minOccurs="0" maxOccurs="unbounded" />
```









```
567         <xs:element name="SetMacroRotationSpin" type="cef:tSetMacroRotatio
nSpinCommand" minOccurs="0" maxOccurs="unbounded" />
568         <xs:element name="SetMacroRotationDirection" type="cef:tSetMacroRo
tationDirectionCommand" minOccurs="0" maxOccurs="unbounded" />
569         <xs:element name="SetMacroFadeTime" type="cef:tSetMacroFadeTimeCom
mand" minOccurs="0" maxOccurs="unbounded" />
570         <xs:element name="CustomMacroCommand" type="cef:tCustomCommand" mi
nOccurs="0" maxOccurs="unbounded" />
571         <!-- Specials -->
572         <xs:element name="SetLampOn" type="cef:tSimpleCommand" minOccurs="
0" maxOccurs="unbounded" />
573         <xs:element name="SetLampOff" type="cef:tSimpleCommand" minOccurs=
"0" maxOccurs="unbounded" />
574         <xs:element name="SetLampMode" type="cef:tSetLampModeCommand" minO
ccurs="0" maxOccurs="unbounded" />
575         <xs:element name="CustomLampCommand" type="cef:tCustomCommand" min
Occurs="0" maxOccurs="unbounded" />
576         <xs:element name="SetLaserOn" type="cef:tSimpleCommand" minOccurs=
"0" maxOccurs="unbounded" />
577         <xs:element name="SetLaserOff" type="cef:tSimpleCommand" minOccurs
="0" maxOccurs="unbounded" />
578         <xs:element name="SetLaserStrobe" type="cef:tSetLaserStrobeCommand
" minOccurs="0" maxOccurs="unbounded" />
579         <xs:element name="SetFanMode" type="cef:tSetFanModeCommand" minOcc
urs="0" maxOccurs="unbounded" />
580         <xs:element name="CustomFanCommand" type="cef:tCustomCommand" minO
ccurs="0" maxOccurs="unbounded" />
581         <xs:element name="Reset" type="cef:tResetCommand" minOccurs="0" ma
xOccurs="unbounded" />
582         <xs:element name="NoFunction" type="cef:tSimpleCommand" minOccurs=
"0" maxOccurs="unbounded" />
583         <xs:element name="Reserved" type="cef:tSimpleCommand" minOccurs="0
" maxOccurs="unbounded" />
584         <xs:element name="CustomCommand" type="cef:tCustomCommand" minOccu
rs="0" maxOccurs="unbounded" />
585         <xs:element name="SetPreset" type="cef:tPresetCommand" minOccurs="
0" maxOccurs="unbounded" />
586         <xs:element name="SetPresetScroll" type="cef:tPresetScrollCommand"
minOccurs="0" maxOccurs="unbounded" />
587         <xs:element name="SetPresetScrollSpeed" type="cef:tSimpleSpeedComm
and" minOccurs="0" maxOccurs="unbounded" />
588         <xs:element name="Macro" type="cef:tTextCommand" minOccurs="0" max
Occurs="unbounded" />
589     </xs:choice>
590     <xs:attribute name="Type" use="required">
591         <xs:simpleType>
592             <xs:restriction base="xs:string">
593                 <xs:enumeration value="8Bit" />
594                 <xs:enumeration value="16BitMsb" />
595                 <xs:enumeration value="16BitLsb" />
596             </xs:restriction>
597         </xs:simpleType>
598     </xs:attribute>
599     <xs:attribute name="OsbChannelIndex" type="xs:unsignedInt" use="opti
onal" />
600     <xs:attribute name="ExternalModeStart" type="xs:string" use="optiona
l" />
601     <xs:attribute name="GroupName" type="xs:string" use="optional"/>
602     <xs:attribute name="Name" type="xs:string" use="required"/>
603     <xs:attribute name="ShortName" type="xs:string" use="optional"/>
604     <xs:attribute name="Cells" use="optional">
605         <xs:simpleType>
606             <xs:restriction base="xs:string">
607                 <xs:pattern value="\d+(-\d+)?(,(\d+(-\d+)?))*" />
608             </xs:restriction>
609         </xs:simpleType>
610     </xs:attribute>
611     <xs:attribute name="DefaultLevel" type="xs:unsignedInt" use="optiona
l"/>
```

```
572         <xs:element name="SetMacroRotationSpin" type="cef:tSetMacroRotatio
nSpinCommand" minOccurs="0" maxOccurs="unbounded" />
573         <xs:element name="SetMacroRotationDirection" type="cef:tSetMacroRo
tationDirectionCommand" minOccurs="0" maxOccurs="unbounded" />
574         <xs:element name="SetMacroFadeTime" type="cef:tSetMacroFadeTimeCom
mand" minOccurs="0" maxOccurs="unbounded" />
575         <xs:element name="CustomMacroCommand" type="cef:tCustomCommand" mi
nOccurs="0" maxOccurs="unbounded" />
576         <!-- Specials -->
577         <xs:element name="SetLampOn" type="cef:tSimpleCommand" minOccurs="
0" maxOccurs="unbounded" />
578         <xs:element name="SetLampOff" type="cef:tSimpleCommand" minOccurs=
"0" maxOccurs="unbounded" />
579         <xs:element name="SetLampMode" type="cef:tSetLampModeCommand" minO
ccurs="0" maxOccurs="unbounded" />
580         <xs:element name="CustomLampCommand" type="cef:tCustomCommand" min
Occurs="0" maxOccurs="unbounded" />
581         <xs:element name="SetLaserOn" type="cef:tSimpleCommand" minOccurs=
"0" maxOccurs="unbounded" />
582         <xs:element name="SetLaserOff" type="cef:tSimpleCommand" minOccurs
="0" maxOccurs="unbounded" />
583         <xs:element name="SetLaserStrobe" type="cef:tSetLaserStrobeCommand
" minOccurs="0" maxOccurs="unbounded" />
584         <xs:element name="SetFanMode" type="cef:tSetFanModeCommand" minOcc
urs="0" maxOccurs="unbounded" />
585         <xs:element name="CustomFanCommand" type="cef:tCustomCommand" minO
ccurs="0" maxOccurs="unbounded" />
586         <xs:element name="Reset" type="cef:tResetCommand" minOccurs="0" ma
xOccurs="unbounded" />
587         <xs:element name="NoFunction" type="cef:tSimpleCommand" minOccurs=
"0" maxOccurs="unbounded" />
588         <xs:element name="Reserved" type="cef:tSimpleCommand" minOccurs="0
" maxOccurs="unbounded" />
589         <xs:element name="CustomCommand" type="cef:tCustomCommand" minOccu
rs="0" maxOccurs="unbounded" />
590         <xs:element name="SetPreset" type="cef:tPresetCommand" minOccurs="
0" maxOccurs="unbounded" />
591         <xs:element name="SetPresetScroll" type="cef:tPresetScrollCommand"
minOccurs="0" maxOccurs="unbounded" />
592         <xs:element name="SetPresetScrollSpeed" type="cef:tSimpleSpeedComm
and" minOccurs="0" maxOccurs="unbounded" />
593         <xs:element name="Macro" type="cef:tTextCommand" minOccurs="0" max
Occurs="unbounded" />
594     </xs:choice>
595     <xs:attribute name="Type" use="required">
596         <xs:simpleType>
597             <xs:restriction base="xs:string">
598                 <xs:enumeration value="8Bit" />
599                 <xs:enumeration value="16BitMsb" />
600                 <xs:enumeration value="16BitLsb" />
601             </xs:restriction>
602         </xs:simpleType>
603     </xs:attribute>
604     <xs:attribute name="OsbChannelIndex" type="xs:unsignedInt" use="opti
onal" />
605     <xs:attribute name="ExternalModeStart" type="xs:string" use="optiona
l" />
606     <xs:attribute name="GroupName" type="xs:string" use="optional"/>
607     <xs:attribute name="Name" type="xs:string" use="required"/>
608     <xs:attribute name="ShortName" type="xs:string" use="optional"/>
609     <xs:attribute name="Cells" use="optional">
610         <xs:simpleType>
611             <xs:restriction base="xs:string">
612                 <xs:pattern value="\d+(-\d+)?(,(\d+(-\d+)?))*" />
613             </xs:restriction>
614         </xs:simpleType>
615     </xs:attribute>
616     <xs:attribute name="DefaultLevel" type="xs:unsignedInt" use="optiona
l"/>
```

```

612         <xs:attribute name="DefaultLevelType" use="optional">
613             <xs:simpleType>
614                 <xs:restriction base="xs:string">
615                     <xs:enumeration value="Explicit" />
616                     <xs:enumeration value="Computed" />
617                 </xs:restriction>
618             </xs:simpleType>
619         </xs:attribute>
620         <xs:attribute name="LocateLevel" type="xs:unsignedInt" use="optional
"/>
621     </xs:complexType>
622 </xs:element>
623 </xs:sequence>
624 </xs:complexType>
625 </xs:element>
626 <xs:element name="Function" minOccurs="0" maxOccurs="unbounded">
627     <xs:complexType>
628         <xs:sequence minOccurs="1" maxOccurs="unbounded">
629             <xs:element name="Step" minOccurs="1" maxOccurs="unbounded">
630                 <xs:complexType>
631                     <xs:sequence>
632                         <xs:element name="Parameter" minOccurs="0" maxOccurs="unbounded">
633                             <xs:complexType>
634                                 <xs:attribute name="ChannelIndex" type="xs:unsignedInt" use="r
equired" />
635                                     <xs:attribute name="DMX" type="xs:int" use="required" />
636                                 </xs:complexType>
637                             </xs:element>
638                         </xs:sequence>
639                         <xs:attribute name="Time" type="xs:float" use="required" />
640                     </xs:complexType>
641                 </xs:element>
642             </xs:sequence>
643             <xs:attribute name="Type" use="required">
644                 <xs:simpleType>
645                     <xs:restriction base="xs:string">
646                         <xs:enumeration value="Custom" />
647                         <xs:enumeration value="Lock" />
648                         <xs:enumeration value="Unlock" />
649                         <xs:enumeration value="LampOn" />
650                         <xs:enumeration value="LampOff" />
651                         <xs:enumeration value="LampModeNormal" />
652                         <xs:enumeration value="LampModeLowPower" />
653                         <xs:enumeration value="ResetComplete" />
654                         <xs:enumeration value="ResetPanTilt" />
655                         <xs:enumeration value="ResetColour" />
656                         <xs:enumeration value="ResetGobo" />
657                         <xs:enumeration value="ResetStrobe" />
658                         <xs:enumeration value="ResetFocus" />
659                         <xs:enumeration value="ResetZoom" />
660                         <xs:enumeration value="ResetFrost" />
661                         <xs:enumeration value="ResetIris" />
662                         <xs:enumeration value="ResetAllInternal" />
663                         <xs:enumeration value="FanModeSlow" />
664                         <xs:enumeration value="FanModeFast" />
665                     </xs:restriction>
666                 </xs:simpleType>
667             </xs:attribute>
668             <xs:attribute name="CustomGroupName" type="xs:string" use="optional" />
669             <xs:attribute name="CustomName" type="xs:string" use="optional" />
670         </xs:complexType>
671     </xs:element>
672 </xs:sequence>
673 <xs:attribute name="Identifier" type="xs:string" use="required"/>
674 <xs:attribute name="Name" type="xs:string" use="required"/>
675 <xs:attribute name="ControllerIndex" type="xs:unsignedInt" use="required"/>
676 <xs:attribute name="ControllerName" type="xs:string" use="optional"/>
677 <xs:attribute name="DmxChannels" type="xs:unsignedInt" use="required"/>
678 </xs:complexType>

```

```

617         <xs:attribute name="DefaultLevelType" use="optional">
618             <xs:simpleType>
619                 <xs:restriction base="xs:string">
620                     <xs:enumeration value="Explicit" />
621                     <xs:enumeration value="Computed" />
622                 </xs:restriction>
623             </xs:simpleType>
624         </xs:attribute>
625         <xs:attribute name="LocateLevel" type="xs:unsignedInt" use="optional
"/>
626     </xs:complexType>
627 </xs:element>
628 </xs:sequence>
629 </xs:complexType>
630 </xs:element>
631 <xs:element name="Function" minOccurs="0" maxOccurs="unbounded">
632     <xs:complexType>
633         <xs:sequence minOccurs="1" maxOccurs="unbounded">
634             <xs:element name="Step" minOccurs="1" maxOccurs="unbounded">
635                 <xs:complexType>
636                     <xs:sequence>
637                         <xs:element name="Parameter" minOccurs="0" maxOccurs="unbounded">
638                             <xs:complexType>
639                                 <xs:attribute name="ChannelIndex" type="xs:unsignedInt" use="r
equired" />
640                                     <xs:attribute name="DMX" type="xs:int" use="required" />
641                                 </xs:complexType>
642                             </xs:element>
643                         </xs:sequence>
644                         <xs:attribute name="Time" type="xs:float" use="required" />
645                     </xs:complexType>
646                 </xs:element>
647             </xs:sequence>
648             <xs:attribute name="Type" use="required">
649                 <xs:simpleType>
650                     <xs:restriction base="xs:string">
651                         <xs:enumeration value="Custom" />
652                         <xs:enumeration value="Lock" />
653                         <xs:enumeration value="Unlock" />
654                         <xs:enumeration value="LampOn" />
655                         <xs:enumeration value="LampOff" />
656                         <xs:enumeration value="LampModeNormal" />
657                         <xs:enumeration value="LampModeLowPower" />
658                         <xs:enumeration value="ResetComplete" />
659                         <xs:enumeration value="ResetPanTilt" />
660                         <xs:enumeration value="ResetColour" />
661                         <xs:enumeration value="ResetGobo" />
662                         <xs:enumeration value="ResetStrobe" />
663                         <xs:enumeration value="ResetFocus" />
664                         <xs:enumeration value="ResetZoom" />
665                         <xs:enumeration value="ResetFrost" />
666                         <xs:enumeration value="ResetIris" />
667                         <xs:enumeration value="ResetAllInternal" />
668                         <xs:enumeration value="FanModeSlow" />
669                         <xs:enumeration value="FanModeFast" />
670                     </xs:restriction>
671                 </xs:simpleType>
672             </xs:attribute>
673             <xs:attribute name="CustomGroupName" type="xs:string" use="optional" />
674             <xs:attribute name="CustomName" type="xs:string" use="optional" />
675         </xs:complexType>
676     </xs:element>
677 </xs:sequence>
678 <xs:attribute name="Identifier" type="xs:string" use="required"/>
679 <xs:attribute name="Name" type="xs:string" use="required"/>
680 <xs:attribute name="ControllerIndex" type="xs:unsignedInt" use="required"/>
681 <xs:attribute name="ControllerName" type="xs:string" use="optional"/>
682 <xs:attribute name="DmxChannels" type="xs:unsignedInt" use="required"/>
683 </xs:complexType>

```

```

679     </xs:element>
680 </xs:sequence>
681 <xs:attribute name="Identifier" type="xs:string" use="required"/>
682 <xs:attribute name="Version" type="xs:unsignedInt" use="required"/>
683 <xs:attribute name="VersionDate" type="xs:date" use="required"/>
684 <xs:attribute name="Brand" type="xs:string" use="required"/>
685 <xs:attribute name="Name" type="xs:string" use="required"/>
686 <xs:attribute name="Visibility" type="cef:tVisibility" use="required" />
687 <xs:attribute name="PartNo" type="xs:string" use="optional"/>
688 </xs:complexType>
689
690 <xs:complexType name="tFixtureColorFlag">
691   <xs:sequence>
692     <xs:element name="Color" type="cef:tFilterColor" minOccurs="1" maxOccurs="1" />
693     <xs:element name="CCT" type="xs:int" minOccurs="0" maxOccurs="1" />
694   </xs:sequence>
695 </xs:complexType>
696
697 <xs:simpleType name="tFixtureAxisName">
698   <xs:restriction base="xs:string">
699     <xs:enumeration value="Pan" />
700     <xs:enumeration value="Tilt" />
701     <xs:enumeration value="Pitch" />
702   </xs:restriction>
703 </xs:simpleType>
704
705 <xs:complexType name="tFixtureLightSourceColour">
706   <xs:sequence>
707     <xs:element name="sRGB" minOccurs="1" maxOccurs="1">
708       <xs:complexType>
709         <xs:attribute name="Red" type="xs:unsignedByte" use="required" />
710         <xs:attribute name="Green" type="xs:unsignedByte" use="required" />
711         <xs:attribute name="Blue" type="xs:unsignedByte" use="required" />
712       </xs:complexType>
713     </xs:element>
714     <xs:element name="CIE1931" minOccurs="0" maxOccurs="1">
715       <xs:complexType>
716         <xs:attribute name="x" type="xs:float" use="required" />
717         <xs:attribute name="y" type="xs:float" use="required" />
718         <xs:attribute name="Y" type="xs:float" use="required" />
719       </xs:complexType>
720     </xs:element>
721   </xs:sequence>
722   <xs:attribute name="Name" type="xs:string" use="optional" />
723 </xs:complexType>
724
725 <xs:complexType name="tFixtureLightSourceOpticTraits">
726   <xs:sequence>
727     <xs:element name="HorizontalFieldAngle" type="xs:float" minOccurs="1" maxOccurs="1" />
728     <xs:element name="VerticalFieldAngle" type="xs:float" minOccurs="1" maxOccurs="1" />
729     <xs:element name="Photometrics" minOccurs="0" maxOccurs="1">
730       <xs:complexType>
731         <xs:sequence>
732           <xs:element name="LuminousFlux" type="xs:float" minOccurs="1" maxOccurs="1" />
733         </xs:sequence>
734       </xs:complexType>
735     </xs:element>
736   </xs:sequence>
737 </xs:complexType>
738
739 <!-- Media server -->
740 <xs:complexType name="tMediaServer">
741   <xs:sequence>
742     <xs:element name="Layers" minOccurs="1" maxOccurs="1">
743       <xs:complexType>
744         <xs:sequence>
745           <xs:element name="Layer" type="cef:tMediaServerLayer" minOccurs="0" maxOccurs="
"unbounded" />

```

```

684     </xs:element>
685 </xs:sequence>
686 <xs:attribute name="Identifier" type="xs:string" use="required"/>
687 <xs:attribute name="Version" type="xs:unsignedInt" use="required"/>
688 <xs:attribute name="VersionDate" type="xs:date" use="required"/>
689 <xs:attribute name="Brand" type="xs:string" use="required"/>
690 <xs:attribute name="Name" type="xs:string" use="required"/>
691 <xs:attribute name="Visibility" type="cef:tVisibility" use="required" />
692 <xs:attribute name="PartNo" type="xs:string" use="optional"/>
693 </xs:complexType>
694
695 <xs:complexType name="tFixtureColorFlag">
696   <xs:sequence>
697     <xs:element name="Color" type="cef:tFilterColor" minOccurs="1" maxOccurs="1" />
698     <xs:element name="CCT" type="xs:int" minOccurs="0" maxOccurs="1" />
699   </xs:sequence>
700 </xs:complexType>
701
702 <xs:simpleType name="tFixtureAxisName">
703   <xs:restriction base="xs:string">
704     <xs:enumeration value="Pan" />
705     <xs:enumeration value="Tilt" />
706     <xs:enumeration value="Pitch" />
707   </xs:restriction>
708 </xs:simpleType>
709
710 <xs:complexType name="tFixtureLightSourceColour">
711   <xs:sequence>
712     <xs:element name="sRGB" minOccurs="1" maxOccurs="1">
713       <xs:complexType>
714         <xs:attribute name="Red" type="xs:unsignedByte" use="required" />
715         <xs:attribute name="Green" type="xs:unsignedByte" use="required" />
716         <xs:attribute name="Blue" type="xs:unsignedByte" use="required" />
717       </xs:complexType>
718     </xs:element>
719     <xs:element name="CIE1931" minOccurs="0" maxOccurs="1">
720       <xs:complexType>
721         <xs:attribute name="x" type="xs:float" use="required" />
722         <xs:attribute name="y" type="xs:float" use="required" />
723         <xs:attribute name="Y" type="xs:float" use="required" />
724       </xs:complexType>
725     </xs:element>
726   </xs:sequence>
727   <xs:attribute name="Name" type="xs:string" use="optional" />
728 </xs:complexType>
729
730 <xs:complexType name="tFixtureLightSourceOpticTraits">
731   <xs:sequence>
732     <xs:element name="HorizontalFieldAngle" type="xs:float" minOccurs="1" maxOccurs="1" />
733     <xs:element name="VerticalFieldAngle" type="xs:float" minOccurs="1" maxOccurs="1" />
734     <xs:element name="Photometrics" minOccurs="0" maxOccurs="1">
735       <xs:complexType>
736         <xs:sequence>
737           <xs:element name="LuminousFlux" type="xs:float" minOccurs="1" maxOccurs="1" />
738         </xs:sequence>
739       </xs:complexType>
740     </xs:element>
741   </xs:sequence>
742 </xs:complexType>
743
744 <!-- Media server -->
745 <xs:complexType name="tMediaServer">
746   <xs:sequence>
747     <xs:element name="Layers" minOccurs="1" maxOccurs="1">
748       <xs:complexType>
749         <xs:sequence>
750           <xs:element name="Layer" type="cef:tMediaServerLayer" minOccurs="0" maxOccurs="
"unbounded" />

```

```

746     </xs:sequence>
747   </xs:complexType>
748 </xs:element>
749 <xs:element name="Lists" minOccurs="1" maxOccurs="1">
750   <xs:complexType>
751     <xs:sequence>
752       <xs:element name="List" type="cef:tMediaServerList" minOccurs="0" maxOccurs="u
nbounded" />
753     </xs:sequence>
754   </xs:complexType>
755 </xs:element>
756 </xs:sequence>
757 <xs:attribute name="Identifier" type="xs:string" use="required"/>
758 <xs:attribute name="Version" type="xs:unsignedInt" use="required"/>
759 <xs:attribute name="VersionDate" type="xs:date" use="required"/>
760 <xs:attribute name="Brand" type="xs:string" use="required" />
761 <xs:attribute name="Name" type="xs:string" use="required" />
762 </xs:complexType>
763
764 <xs:complexType name="tMediaServerLayer">
765   <xs:sequence>
766     <xs:element name="Channels" minOccurs="1" maxOccurs="1">
767       <xs:complexType>
768         <xs:sequence>
769           <xs:element name="Channel" minOccurs="1" maxOccurs="512">
770             <xs:complexType>
771               <xs:choice minOccurs="0" maxOccurs="unbounded">
772                 <xs:element name="DimmerRange" type="cef:tMediaServerDimmerRange" />
773                 <xs:element name="Range" type="cef:tMediaServerRange" />
774                 <xs:element name="Snap" type="cef:tMediaServerSnap" />
775               </xs:choice>
776               <xs:attribute name="Name" type="xs:string" use="required" />
777               <xs:attribute name="Default" type="xs:unsignedInt" use="required" />
778               <xs:attribute name="Bits" use="optional">
779                 <xs:simpleType>
780                   <xs:restriction base="xs:int">
781                     <xs:enumeration value="8" />
782                     <xs:enumeration value="16" />
783                     <xs:enumeration value="24" />
784                     <xs:enumeration value="32" />
785                   </xs:restriction>
786                 </xs:simpleType>
787               </xs:attribute>
788               <xs:attribute name="Table" type="xs:string" use="optional" />
789               <xs:attribute name="TableFunction" use="optional">
790                 <xs:simpleType>
791                   <xs:restriction base="xs:string">
792                     <xs:enumeration value="Selector" />
793                     <xs:enumeration value="Parameter" />
794                   </xs:restriction>
795                 </xs:simpleType>
796               </xs:attribute>
797               <xs:attribute name="TableParameterName" type="xs:string" use="optional" />
798               <xs:attribute name="CITPMediaType" use="optional">
799                 <xs:simpleType>
800                   <xs:restriction base="xs:string">
801                     <xs:enumeration value="Media" />
802                     <xs:enumeration value="Effects" />
803                     <xs:enumeration value="Cues" />
804                     <xs:enumeration value="Crossfades" />
805                     <xs:enumeration value="Masks" />
806                     <xs:enumeration value="Blend Presets" />
807                     <xs:enumeration value="Effect Presets" />
808                     <xs:enumeration value="Image Presets" />
809                     <xs:enumeration value="3D Meshes" />
810                   </xs:restriction>
811                 </xs:simpleType>
812               </xs:attribute>
813               <xs:attribute name="CITPMediaLevel" use="optional">

```

```

751     </xs:sequence>
752   </xs:complexType>
753 </xs:element>
754 <xs:element name="Lists" minOccurs="1" maxOccurs="1">
755   <xs:complexType>
756     <xs:sequence>
757       <xs:element name="List" type="cef:tMediaServerList" minOccurs="0" maxOccurs="u
nbounded" />
758     </xs:sequence>
759   </xs:complexType>
760 </xs:element>
761 </xs:sequence>
762 <xs:attribute name="Identifier" type="xs:string" use="required"/>
763 <xs:attribute name="Version" type="xs:unsignedInt" use="required"/>
764 <xs:attribute name="VersionDate" type="xs:date" use="required"/>
765 <xs:attribute name="Brand" type="xs:string" use="required" />
766 <xs:attribute name="Name" type="xs:string" use="required" />
767 </xs:complexType>
768
769 <xs:complexType name="tMediaServerLayer">
770   <xs:sequence>
771     <xs:element name="Channels" minOccurs="1" maxOccurs="1">
772       <xs:complexType>
773         <xs:sequence>
774           <xs:element name="Channel" minOccurs="1" maxOccurs="512">
775             <xs:complexType>
776               <xs:choice minOccurs="0" maxOccurs="unbounded">
777                 <xs:element name="DimmerRange" type="cef:tMediaServerDimmerRange" />
778                 <xs:element name="Range" type="cef:tMediaServerRange" />
779                 <xs:element name="Snap" type="cef:tMediaServerSnap" />
780               </xs:choice>
781               <xs:attribute name="Name" type="xs:string" use="required" />
782               <xs:attribute name="Default" type="xs:unsignedInt" use="required" />
783               <xs:attribute name="Bits" use="optional">
784                 <xs:simpleType>
785                   <xs:restriction base="xs:int">
786                     <xs:enumeration value="8" />
787                     <xs:enumeration value="16" />
788                     <xs:enumeration value="24" />
789                     <xs:enumeration value="32" />
790                   </xs:restriction>
791                 </xs:simpleType>
792               </xs:attribute>
793               <xs:attribute name="Table" type="xs:string" use="optional" />
794               <xs:attribute name="TableFunction" use="optional">
795                 <xs:simpleType>
796                   <xs:restriction base="xs:string">
797                     <xs:enumeration value="Selector" />
798                     <xs:enumeration value="Parameter" />
799                   </xs:restriction>
800                 </xs:simpleType>
801               </xs:attribute>
802               <xs:attribute name="TableParameterName" type="xs:string" use="optional" />
803               <xs:attribute name="CITPMediaType" use="optional">
804                 <xs:simpleType>
805                   <xs:restriction base="xs:string">
806                     <xs:enumeration value="Media" />
807                     <xs:enumeration value="Effects" />
808                     <xs:enumeration value="Cues" />
809                     <xs:enumeration value="Crossfades" />
810                     <xs:enumeration value="Masks" />
811                     <xs:enumeration value="Blend Presets" />
812                     <xs:enumeration value="Effect Presets" />
813                     <xs:enumeration value="Image Presets" />
814                     <xs:enumeration value="3D Meshes" />
815                   </xs:restriction>
816                 </xs:simpleType>
817               </xs:attribute>
818               <xs:attribute name="CITPMediaLevel" use="optional">

```

```

814         <xs:simpleType>
815             <xs:restriction base="xs:int">
816                 <xs:minInclusive value="1" />
817                 <xs:maxInclusive value="4" />
818             </xs:restriction>
819         </xs:simpleType>
820     </xs:attribute>
821     <xs:attribute name="CITPPParameterIndex" type="xs:byte" use="optional" />
822 </xs:complexType>
823 </xs:element>
824 </xs:sequence>
825 </xs:complexType>
826 </xs:element>
827 </xs:sequence>
828 <xs:attribute name="Identifier" type="xs:string" use="required"/>
829 <xs:attribute name="Name" type="xs:string" use="required" />
830 </xs:complexType>
831
832 <xs:complexType name="tMediaServerDimmerRange">
833     <xs:attribute name="Start" type="xs:unsignedInt" use="required" />
834     <xs:attribute name="End" type="xs:unsignedInt" use="required" />
835     <xs:attribute name="DimmerFrom" use="required">
836         <xs:simpleType>
837             <xs:restriction base="xs:float">
838                 <xs:minInclusive value="0" />
839                 <xs:maxInclusive value="1" />
840             </xs:restriction>
841         </xs:simpleType>
842     </xs:attribute>
843     <xs:attribute name="DimmerTo" use="required">
844         <xs:simpleType>
845             <xs:restriction base="xs:float">
846                 <xs:minInclusive value="0" />
847                 <xs:maxInclusive value="1" />
848             </xs:restriction>
849         </xs:simpleType>
850     </xs:attribute>
851 </xs:complexType>
852
853 <xs:complexType name="tMediaServerRange">
854     <xs:attribute name="Start" type="xs:unsignedInt" use="required" />
855     <xs:attribute name="End" type="xs:unsignedInt" use="required" />
856     <!-- Substitute ### with the 8-bit DMX level -->
857     <!-- Substitute ###.## with the 16-bit DMX level divided by 100 -->
858     <xs:attribute name="Text" type="xs:string" use="required" />
859     <xs:attribute name="From" type="xs:string" use="required" />
860     <xs:attribute name="To" type="xs:string" use="required" />
861 </xs:complexType>
862
863 <xs:complexType name="tMediaServerSnap">
864     <xs:attribute name="Start" type="xs:unsignedInt" use="required" />
865     <xs:attribute name="End" type="xs:unsignedInt" use="required" />
866     <!-- Substitute ### with the 8-bit DMX level -->
867     <!-- Substitute ###.## with the 16-bit DMX level divided by 100 -->
868     <xs:attribute name="Text" type="xs:string" use="required" />
869     <xs:attribute name="To" type="xs:string" use="optional" />
870 </xs:complexType>
871
872 <xs:complexType name="tMediaServerList">
873     <xs:sequence>
874         <xs:element name="Entry" minOccurs="1" maxOccurs="255">
875             <xs:complexType>
876                 <xs:sequence>
877                     <xs:element name="Parameter" minOccurs="0" maxOccurs="unbounded">
878                         <xs:complexType>
879                             <xs:attribute name="Name" type="xs:string" use="required" />
880                             <xs:attribute name="Function" type="xs:string" use="required" />
881                         </xs:complexType>
882                     </xs:element>

```

```

819         <xs:simpleType>
820             <xs:restriction base="xs:int">
821                 <xs:minInclusive value="1" />
822                 <xs:maxInclusive value="4" />
823             </xs:restriction>
824         </xs:simpleType>
825     </xs:attribute>
826     <xs:attribute name="CITPPParameterIndex" type="xs:byte" use="optional" />
827 </xs:complexType>
828 </xs:element>
829 </xs:sequence>
830 </xs:complexType>
831 </xs:element>
832 </xs:sequence>
833 <xs:attribute name="Identifier" type="xs:string" use="required"/>
834 <xs:attribute name="Name" type="xs:string" use="required" />
835 </xs:complexType>
836
837 <xs:complexType name="tMediaServerDimmerRange">
838     <xs:attribute name="Start" type="xs:unsignedInt" use="required" />
839     <xs:attribute name="End" type="xs:unsignedInt" use="required" />
840     <xs:attribute name="DimmerFrom" use="required">
841         <xs:simpleType>
842             <xs:restriction base="xs:float">
843                 <xs:minInclusive value="0" />
844                 <xs:maxInclusive value="1" />
845             </xs:restriction>
846         </xs:simpleType>
847     </xs:attribute>
848     <xs:attribute name="DimmerTo" use="required">
849         <xs:simpleType>
850             <xs:restriction base="xs:float">
851                 <xs:minInclusive value="0" />
852                 <xs:maxInclusive value="1" />
853             </xs:restriction>
854         </xs:simpleType>
855     </xs:attribute>
856 </xs:complexType>
857
858 <xs:complexType name="tMediaServerRange">
859     <xs:attribute name="Start" type="xs:unsignedInt" use="required" />
860     <xs:attribute name="End" type="xs:unsignedInt" use="required" />
861     <!-- Substitute ### with the 8-bit DMX level -->
862     <!-- Substitute ###.## with the 16-bit DMX level divided by 100 -->
863     <xs:attribute name="Text" type="xs:string" use="required" />
864     <xs:attribute name="From" type="xs:string" use="required" />
865     <xs:attribute name="To" type="xs:string" use="required" />
866 </xs:complexType>
867
868 <xs:complexType name="tMediaServerSnap">
869     <xs:attribute name="Start" type="xs:unsignedInt" use="required" />
870     <xs:attribute name="End" type="xs:unsignedInt" use="required" />
871     <!-- Substitute ### with the 8-bit DMX level -->
872     <!-- Substitute ###.## with the 16-bit DMX level divided by 100 -->
873     <xs:attribute name="Text" type="xs:string" use="required" />
874     <xs:attribute name="To" type="xs:string" use="optional" />
875 </xs:complexType>
876
877 <xs:complexType name="tMediaServerList">
878     <xs:sequence>
879         <xs:element name="Entry" minOccurs="1" maxOccurs="255">
880             <xs:complexType>
881                 <xs:sequence>
882                     <xs:element name="Parameter" minOccurs="0" maxOccurs="unbounded">
883                         <xs:complexType>
884                             <xs:attribute name="Name" type="xs:string" use="required" />
885                             <xs:attribute name="Function" type="xs:string" use="required" />
886                         </xs:complexType>
887                     </xs:element>

```



```

883     </xs:sequence>
884     <xs:attribute name="Start" type="xs:unsignedByte" use="required" />
885     <xs:attribute name="End" type="xs:unsignedByte" use="required" />
886     <xs:attribute name="Name" type="xs:string" use="required" />
887 </xs:complexType>
888 </xs:element>
889 </xs:sequence>
890 <xs:attribute name="Name" type="xs:string" use="required" />
891 </xs:complexType>
892
893 <!-- Symbol -->
894 <xs:complexType name="tSymbol">
895   <xs:sequence>
896     <xs:element name="Shape" minOccurs="0" maxOccurs="unbounded">
897       <xs:complexType>
898         <xs:sequence>
899           <xs:element name="Point" minOccurs="2" maxOccurs="unbounded">
900             <xs:complexType>
901               <xs:attribute name="X" type="xs:float" use="required" />
902               <xs:attribute name="Y" type="xs:float" use="required" />
903             </xs:complexType>
904           </xs:element>
905         </xs:sequence>
906       <xs:attribute name="Type" use="required">
907         <xs:simpleType>
908           <xs:restriction base="xs:string">
909             <xs:enumeration value="Fill" />
910             <xs:enumeration value="Line" />
911           </xs:restriction>
912         </xs:simpleType>
913       </xs:attribute>
914     </xs:complexType>
915   </xs:element>
916 </xs:sequence>
917   <xs:attribute name="Identifier" type="xs:string" use="required"/>
918   <xs:attribute name="Version" type="xs:unsignedInt" use="required"/>
919   <xs:attribute name="VersionDate" type="xs:date" use="required"/>
920   <xs:attribute name="Brand" type="xs:string" use="required"/>
921   <xs:attribute name="Name" type="xs:string" use="optional"/>
922 </xs:complexType>
923
924 <!-- Generic DMX Mode command types -->
925 <xs:complexType name="tSimpleCommand">
926   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
927   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
928 </xs:complexType>
929
930 <xs:complexType name="tSimpleLevelCommand">
931   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
932   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
933   <xs:attribute name="ToStartLevel" type="cef:tSimpleRangeValue" use="required"/>
934   <xs:attribute name="ToEndLevel" type="cef:tSimpleRangeValue" use="required"/>
935 </xs:complexType>
936
937 <xs:complexType name="tSimpleCellLevelCommand">
938   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
939   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
940   <xs:attribute name="Layer" type="cef:tControlLayer" use="optional"/>
941   <xs:attribute name="Cell" type="xs:unsignedInt" use="required"/>
942   <xs:attribute name="ToStartLevel" type="cef:tSimpleRangeValue" use="required"/>
943   <xs:attribute name="ToEndLevel" type="cef:tSimpleRangeValue" use="required"/>
944 </xs:complexType>
945
946 <xs:complexType name="tSimpleSpeedCommand">
947   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
948   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
949   <xs:attribute name="ToStartSpeed" type="cef:tWideRangeValue" use="required"/>
950   <xs:attribute name="ToEndSpeed" type="cef:tWideRangeValue" use="required"/>
951 </xs:complexType>

```

```

888     </xs:sequence>
889     <xs:attribute name="Start" type="xs:unsignedByte" use="required" />
890     <xs:attribute name="End" type="xs:unsignedByte" use="required" />
891     <xs:attribute name="Name" type="xs:string" use="required" />
892 </xs:complexType>
893 </xs:element>
894 </xs:sequence>
895 <xs:attribute name="Name" type="xs:string" use="required" />
896 </xs:complexType>
897
898 <!-- Symbol -->
899 <xs:complexType name="tSymbol">
900   <xs:sequence>
901     <xs:element name="Shape" minOccurs="0" maxOccurs="unbounded">
902       <xs:complexType>
903         <xs:sequence>
904           <xs:element name="Point" minOccurs="2" maxOccurs="unbounded">
905             <xs:complexType>
906               <xs:attribute name="X" type="xs:float" use="required" />
907               <xs:attribute name="Y" type="xs:float" use="required" />
908             </xs:complexType>
909           </xs:element>
910         </xs:sequence>
911       <xs:attribute name="Type" use="required">
912         <xs:simpleType>
913           <xs:restriction base="xs:string">
914             <xs:enumeration value="Fill" />
915             <xs:enumeration value="Line" />
916           </xs:restriction>
917         </xs:simpleType>
918       </xs:attribute>
919     </xs:complexType>
920   </xs:element>
921 </xs:sequence>
922   <xs:attribute name="Identifier" type="xs:string" use="required"/>
923   <xs:attribute name="Version" type="xs:unsignedInt" use="required"/>
924   <xs:attribute name="VersionDate" type="xs:date" use="required"/>
925   <xs:attribute name="Brand" type="xs:string" use="required"/>
926   <xs:attribute name="Name" type="xs:string" use="optional"/>
927 </xs:complexType>
928
929 <!-- Generic DMX Mode command types -->
930 <xs:complexType name="tSimpleCommand">
931   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
932   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
933 </xs:complexType>
934
935 <xs:complexType name="tSimpleLevelCommand">
936   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
937   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
938   <xs:attribute name="ToStartLevel" type="cef:tSimpleRangeValue" use="required"/>
939   <xs:attribute name="ToEndLevel" type="cef:tSimpleRangeValue" use="required"/>
940 </xs:complexType>
941
942 <xs:complexType name="tSimpleCellLevelCommand">
943   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
944   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
945   <xs:attribute name="Layer" type="cef:tControlLayer" use="optional"/>
946   <xs:attribute name="Cell" type="xs:unsignedInt" use="required"/>
947   <xs:attribute name="ToStartLevel" type="cef:tSimpleRangeValue" use="required"/>
948   <xs:attribute name="ToEndLevel" type="cef:tSimpleRangeValue" use="required"/>
949 </xs:complexType>
950
951 <xs:complexType name="tSimpleSpeedCommand">
952   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
953   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
954   <xs:attribute name="ToStartSpeed" type="cef:tWideRangeValue" use="required"/>
955   <xs:attribute name="ToEndSpeed" type="cef:tWideRangeValue" use="required"/>
956 </xs:complexType>

```



```
1010 <xs:attribute name="ToEndLevel" type="cef:tSimpleRangeValue" use="required"/>
1011 </xs:complexType>
1012
1013 <xs:complexType name="tSetCellLightWideLevelCommand">
1014 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1015 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1016 <xs:attribute name="Layer" type="cef:tControlLayer" use="optional"/>
1017 <xs:attribute name="Cell" type="xs:unsignedInt" use="required"/>
1018 <xs:attribute name="Mode" type="cef:tLightMode" use="required"/>
1019 <xs:attribute name="ToStartLevel" type="cef:tWideRangeValue" use="required"/>
1020 <xs:attribute name="ToEndLevel" type="cef:tWideRangeValue" use="required"/>
1021 </xs:complexType>
1022
1023 <xs:complexType name="tSetCellLightColorRenderingIndexLevelCommand">
1024 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1025 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1026 <xs:attribute name="Cell" type="xs:unsignedInt" use="required"/>
1027 <xs:attribute name="ToStartLevel" type="cef:tColorRenderingIndexRangeValue" use="required"/>
1028 <xs:attribute name="ToEndLevel" type="cef:tColorRenderingIndexRangeValue" use="required"/>
1029 </xs:complexType>
1030
1031 <xs:complexType name="tSetCellLightColorTemperatureLevelCommand">
1032 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1033 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1034 <xs:attribute name="Layer" type="cef:tControlLayer" use="optional"/>
```

```
1026 <xs:attribute name="ToEndLevel" type="cef:tSimpleRangeValue" use="required"/>
1027 </xs:complexType>
1028
1029 <xs:complexType name="tSetCellLightWideLevelCommand">
1030 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1031 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1032 <xs:attribute name="Layer" type="cef:tControlLayer" use="optional"/>
1033 <xs:attribute name="Cell" type="xs:unsignedInt" use="required"/>
1034 <xs:attribute name="Mode" type="cef:tLightMode" use="required"/>
1035 <xs:attribute name="ToStartLevel" type="cef:tWideRangeValue" use="required"/>
1036 <xs:attribute name="ToEndLevel" type="cef:tWideRangeValue" use="required"/>
1037 </xs:complexType>
1038
1039 <xs:complexType name="tSelectLightFilterCatalogCommand">
1040 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1041 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1042 <xs:attribute name="Layer" type="cef:tControlLayer" use="optional"/>
1043 <xs:attribute name="Cell" type="xs:unsignedInt" use="required"/>
1044 <xs:attribute name="Mode" type="cef:tLightMode" use="required"/>
1045 <xs:attribute name="Catalog" type="xs:unsignedByte" use="required"/>
1046 <xs:attribute name="Text" type="xs:string" use="optional" />
1047 </xs:complexType>
1048
1049 <xs:complexType name="tSelectLightFilterCollectionCommand">
1050 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1051 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1052 <xs:attribute name="Layer" type="cef:tControlLayer" use="optional"/>
1053 <xs:attribute name="Cell" type="xs:unsignedInt" use="required"/>
1054 <xs:attribute name="Mode" type="cef:tLightMode" use="required"/>
1055 <xs:attribute name="Index" type="xs:unsignedByte" use="required"/>
1056 <xs:attribute name="Catalog" type="xs:unsignedByte" use="optional"/>
1057 <xs:attribute name="Text" type="xs:string" use="optional" />
1058 </xs:complexType>
1059
1060 <xs:complexType name="tSelectLightFilterCommand">
1061 <xs:sequence>
1062 <xs:element name="Color" minOccurs="1" maxOccurs="1">
1063 <xs:complexType>
1064 <xs:attribute name="x" type="xs:float" use="required" />
1065 <xs:attribute name="y" type="xs:float" use="required" />
1066 <xs:attribute name="Y" type="xs:float" use="required" />
1067 <xs:attribute name="K" type="xs:unsignedShort" use="required" />
1068 </xs:complexType>
1069 </xs:element>
1070 </xs:sequence>
1071 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1072 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1073 <xs:attribute name="Layer" type="cef:tControlLayer" use="optional"/>
1074 <xs:attribute name="Cell" type="xs:unsignedInt" use="required"/>
1075 <xs:attribute name="Mode" type="cef:tLightMode" use="required"/>
1076 <xs:attribute name="Index" type="xs:unsignedByte" use="optional"/>
1077 <xs:attribute name="Catalog" type="xs:unsignedByte" use="optional"/>
1078 <xs:attribute name="Text" type="xs:string" use="required" />
1079 </xs:complexType>
1080
1081 <xs:complexType name="tSetCellLightColorRenderingIndexLevelCommand">
1082 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1083 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1084 <xs:attribute name="Cell" type="xs:unsignedInt" use="required"/>
1085 <xs:attribute name="ToStartLevel" type="cef:tColorRenderingIndexRangeValue" use="required"/>
1086 <xs:attribute name="ToEndLevel" type="cef:tColorRenderingIndexRangeValue" use="required"/>
1087 </xs:complexType>
1088
1089 <xs:complexType name="tSetCellLightColorTemperatureLevelCommand">
1090 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1091 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1092 <xs:attribute name="Layer" type="cef:tControlLayer" use="optional"/>
```

```
1035 <xs:attribute name="Cell" type="xs:unsignedInt" use="required"/>
1036 <xs:attribute name="Mode" type="cef:tLightMode" use="required"/>
1037 <xs:attribute name="ToStartLevel" type="cef:tColorTemperatureRangeValue" use="required
"/>
1038 <xs:attribute name="ToEndLevel" type="cef:tColorTemperatureRangeValue" use="required"/>
1039 </xs:complexType>
1040
1041 <xs:complexType name="tSetShutterCommand">
1042 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1043 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1044 <xs:attribute name="Layer" type="cef:tControlLayer" use="optional"/>
1045 <xs:attribute name="Cell" type="xs:unsignedInt" use="required"/>
1046 </xs:complexType>
1047
1048 <xs:complexType name="tSetShutterStrobeCommand">
1049 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1050 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1051 <xs:attribute name="Layer" type="cef:tControlLayer" use="optional"/>
1052 <xs:attribute name="Cell" type="xs:unsignedInt" use="required"/>
1053 <xs:attribute name="ToMode" type="cef:tStrobeMode" use="required"/>
1054 <xs:attribute name="ToTransition" type="cef:tStrobeTransition" use="required"/>
1055 </xs:complexType>
1056
1057 <xs:complexType name="tSetShutterStrobeRateCommand">
1058 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1059 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1060 <xs:attribute name="Layer" type="cef:tControlLayer" use="optional"/>
1061 <xs:attribute name="Cell" type="xs:unsignedInt" use="required"/>
1062 </xs:complexType>
1063
1064 <xs:complexType name="tSetShutterStrobeVariableRateCommand">
1065 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1066 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1067 <xs:attribute name="Layer" type="cef:tControlLayer" use="optional"/>
1068 <xs:attribute name="Cell" type="xs:unsignedInt" use="required"/>
1069 <xs:attribute name="ToStartLevelRate" type="cef:tSimpleRangeValue" use="required"/>
1070 <xs:attribute name="ToEndLevelRate" type="cef:tSimpleRangeValue" use="required"/>
1071 </xs:complexType>
1072
1073 <xs:complexType name="tSetShutterStrobeDurationCommand">
1074 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1075 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1076 <xs:attribute name="Layer" type="cef:tControlLayer" use="optional"/>
1077 <xs:attribute name="Cell" type="xs:unsignedInt" use="required"/>
1078 <xs:attribute name="ToTiming" use="required">
1079 <xs:simpleType>
1080 <xs:restriction base="xs:string">
1081 <xs:enumeration value="Absolute" />
1082 <xs:enumeration value="Relative" />
1083 </xs:restriction>
1084 </xs:simpleType>
1085 </xs:attribute>
1086 <xs:attribute name="ToStartLevelDuration" type="cef:tSimpleRangeValue" use="required"/>
1087 <xs:attribute name="ToEndLevelDuration" type="cef:tSimpleRangeValue" use="required"/>
1088 </xs:complexType>
1089
1090 <xs:complexType name="tSetFocusModeCommand">
1091 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1092 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1093 <xs:attribute name="ToMode" use="required">
1094 <xs:simpleType>
1095 <xs:restriction base="xs:string">
1096 <xs:enumeration value="Normal" />
1097 <xs:enumeration value="Auto" />
1098 </xs:restriction>
1099 </xs:simpleType>
1100 </xs:attribute>
1101 </xs:complexType>
1102

1093 <xs:attribute name="Cell" type="xs:unsignedInt" use="required"/>
1094 <xs:attribute name="Mode" type="cef:tLightMode" use="required"/>
1095 <xs:attribute name="ToStartLevel" type="cef:tColorTemperatureRangeValue" use="required
"/>
1096 <xs:attribute name="ToEndLevel" type="cef:tColorTemperatureRangeValue" use="required"/>
1097 </xs:complexType>
1098
1099 <xs:complexType name="tSetShutterCommand">
1100 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1101 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1102 <xs:attribute name="Layer" type="cef:tControlLayer" use="optional"/>
1103 <xs:attribute name="Cell" type="xs:unsignedInt" use="required"/>
1104 </xs:complexType>
1105
1106 <xs:complexType name="tSetShutterStrobeCommand">
1107 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1108 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1109 <xs:attribute name="Layer" type="cef:tControlLayer" use="optional"/>
1110 <xs:attribute name="Cell" type="xs:unsignedInt" use="required"/>
1111 <xs:attribute name="ToMode" type="cef:tStrobeMode" use="required"/>
1112 <xs:attribute name="ToTransition" type="cef:tStrobeTransition" use="required"/>
1113 </xs:complexType>
1114
1115 <xs:complexType name="tSetShutterStrobeRateCommand">
1116 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1117 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1118 <xs:attribute name="Layer" type="cef:tControlLayer" use="optional"/>
1119 <xs:attribute name="Cell" type="xs:unsignedInt" use="required"/>
1120 </xs:complexType>
1121
1122 <xs:complexType name="tSetShutterStrobeVariableRateCommand">
1123 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1124 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1125 <xs:attribute name="Layer" type="cef:tControlLayer" use="optional"/>
1126 <xs:attribute name="Cell" type="xs:unsignedInt" use="required"/>
1127 <xs:attribute name="ToStartLevelRate" type="cef:tSimpleRangeValue" use="required"/>
1128 <xs:attribute name="ToEndLevelRate" type="cef:tSimpleRangeValue" use="required"/>
1129 </xs:complexType>
1130
1131 <xs:complexType name="tSetShutterStrobeDurationCommand">
1132 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1133 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1134 <xs:attribute name="Layer" type="cef:tControlLayer" use="optional"/>
1135 <xs:attribute name="Cell" type="xs:unsignedInt" use="required"/>
1136 <xs:attribute name="ToTiming" use="required">
1137 <xs:simpleType>
1138 <xs:restriction base="xs:string">
1139 <xs:enumeration value="Absolute" />
1140 <xs:enumeration value="Relative" />
1141 </xs:restriction>
1142 </xs:simpleType>
1143 </xs:attribute>
1144 <xs:attribute name="ToStartLevelDuration" type="cef:tSimpleRangeValue" use="required"/>
1145 <xs:attribute name="ToEndLevelDuration" type="cef:tSimpleRangeValue" use="required"/>
1146 </xs:complexType>
1147
1148 <xs:complexType name="tSetFocusModeCommand">
1149 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1150 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1151 <xs:attribute name="ToMode" use="required">
1152 <xs:simpleType>
1153 <xs:restriction base="xs:string">
1154 <xs:enumeration value="Normal" />
1155 <xs:enumeration value="Auto" />
1156 </xs:restriction>
1157 </xs:simpleType>
1158 </xs:attribute>
1159 </xs:complexType>
1160
```

```

1103 <xs:complexType name="tSetFrostLevelCommand">
1104   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1105   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1106   <xs:attribute name="FrostIndex" type="cef:tFrostIndex" use="required"/>
1107   <xs:attribute name="ToStartLevel" type="cef:tSimpleRangeValue" use="required"/>
1108   <xs:attribute name="ToEndLevel" type="cef:tSimpleRangeValue" use="required"/>
1109 </xs:complexType>
1110
1111 <xs:complexType name="tSetFrostStrobeCommand">
1112   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1113   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1114   <xs:attribute name="FrostIndex" type="cef:tFrostIndex" use="required"/>
1115   <xs:attribute name="ToMode" type="cef:tStrobeMode" use="required"/>
1116   <xs:attribute name="ToTransition" type="cef:tStrobeTransition" use="required"/>
1117   <xs:attribute name="ToStartLevelRate" type="cef:tSimpleRangeValue" use="required"/>
1118   <xs:attribute name="ToEndLevelRate" type="cef:tSimpleRangeValue" use="required"/>
1119 </xs:complexType>
1120
1121 <xs:complexType name="tCustomFrostCommand">
1122   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1123   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1124   <xs:attribute name="FrostIndex" type="cef:tFrostIndex" use="optional"/>
1125   <xs:attribute name="Usage" use="required">
1126     <xs:simpleType>
1127       <xs:restriction base="xs:string">
1128         <xs:enumeration value="Snap" />
1129         <xs:enumeration value="Range" />
1130       </xs:restriction>
1131     </xs:simpleType>
1132   </xs:attribute>
1133   <xs:attribute name="Description" type="xs:string" use="required"/>
1134   <xs:attribute name="ShortDescription" type="xs:string" use="optional"/>
1135   <xs:attribute name="From" type="xs:string" use="optional"/>
1136   <xs:attribute name="To" type="xs:string" use="optional"/>
1137 </xs:complexType>
1138
1139 <xs:complexType name="tSetWheelModeCommand">
1140   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1141   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1142   <xs:attribute name="WheelIndex" type="cef:tWheelIndex" use="required"/>
1143   <xs:attribute name="ToMode" type="cef:tWheelMode" use="required"/>
1144 </xs:complexType>
1145
1146 <xs:complexType name="tSetWheelSpinDirectionCommand">
1147   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1148   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1149   <xs:attribute name="WheelIndex" type="cef:tWheelIndex" use="required"/>
1150   <xs:attribute name="ToDirection" type="cef:tWheelSpinDirection" use="required"/>
1151 </xs:complexType>
1152
1153 <xs:complexType name="tSetWheelPositionCommand">
1154   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1155   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1156   <xs:attribute name="WheelIndex" type="cef:tWheelIndex" use="required"/>
1157   <xs:attribute name="Mode" type="cef:tNonRandomWheelMode" use="required"/>
1158   <xs:attribute name="ToStartLevelPosition" type="xs:float" use="required"/>
1159   <xs:attribute name="ToEndLevelPosition" type="xs:float" use="required"/>
1160 </xs:complexType>
1161
1162 <xs:complexType name="tSetWheelRandomPositionSpeedCommand">
1163   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1164   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1165   <xs:attribute name="WheelIndex" type="cef:tWheelIndex" use="required"/>
1166   <xs:attribute name="ToStartLevelSpeed" type="xs:float" use="required"/>
1167   <xs:attribute name="ToEndLevelSpeed" type="xs:float" use="required"/>
1168 </xs:complexType>
1169
1170 <xs:complexType name="tSetWheelSpeedCommand">
1171   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>

```

```

1161 <xs:complexType name="tSetFrostLevelCommand">
1162   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1163   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1164   <xs:attribute name="FrostIndex" type="cef:tFrostIndex" use="required"/>
1165   <xs:attribute name="ToStartLevel" type="cef:tSimpleRangeValue" use="required"/>
1166   <xs:attribute name="ToEndLevel" type="cef:tSimpleRangeValue" use="required"/>
1167 </xs:complexType>
1168
1169 <xs:complexType name="tSetFrostStrobeCommand">
1170   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1171   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1172   <xs:attribute name="FrostIndex" type="cef:tFrostIndex" use="required"/>
1173   <xs:attribute name="ToMode" type="cef:tStrobeMode" use="required"/>
1174   <xs:attribute name="ToTransition" type="cef:tStrobeTransition" use="required"/>
1175   <xs:attribute name="ToStartLevelRate" type="cef:tSimpleRangeValue" use="required"/>
1176   <xs:attribute name="ToEndLevelRate" type="cef:tSimpleRangeValue" use="required"/>
1177 </xs:complexType>
1178
1179 <xs:complexType name="tCustomFrostCommand">
1180   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1181   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1182   <xs:attribute name="FrostIndex" type="cef:tFrostIndex" use="optional"/>
1183   <xs:attribute name="Usage" use="required">
1184     <xs:simpleType>
1185       <xs:restriction base="xs:string">
1186         <xs:enumeration value="Snap" />
1187         <xs:enumeration value="Range" />
1188       </xs:restriction>
1189     </xs:simpleType>
1190   </xs:attribute>
1191   <xs:attribute name="Description" type="xs:string" use="required"/>
1192   <xs:attribute name="ShortDescription" type="xs:string" use="optional"/>
1193   <xs:attribute name="From" type="xs:string" use="optional"/>
1194   <xs:attribute name="To" type="xs:string" use="optional"/>
1195 </xs:complexType>
1196
1197 <xs:complexType name="tSetWheelModeCommand">
1198   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1199   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1200   <xs:attribute name="WheelIndex" type="cef:tWheelIndex" use="required"/>
1201   <xs:attribute name="ToMode" type="cef:tWheelMode" use="required"/>
1202 </xs:complexType>
1203
1204 <xs:complexType name="tSetWheelSpinDirectionCommand">
1205   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1206   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1207   <xs:attribute name="WheelIndex" type="cef:tWheelIndex" use="required"/>
1208   <xs:attribute name="ToDirection" type="cef:tWheelSpinDirection" use="required"/>
1209 </xs:complexType>
1210
1211 <xs:complexType name="tSetWheelPositionCommand">
1212   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1213   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1214   <xs:attribute name="WheelIndex" type="cef:tWheelIndex" use="required"/>
1215   <xs:attribute name="Mode" type="cef:tNonRandomWheelMode" use="required"/>
1216   <xs:attribute name="ToStartLevelPosition" type="xs:float" use="required"/>
1217   <xs:attribute name="ToEndLevelPosition" type="xs:float" use="required"/>
1218 </xs:complexType>
1219
1220 <xs:complexType name="tSetWheelRandomPositionSpeedCommand">
1221   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1222   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1223   <xs:attribute name="WheelIndex" type="cef:tWheelIndex" use="required"/>
1224   <xs:attribute name="ToStartLevelSpeed" type="xs:float" use="required"/>
1225   <xs:attribute name="ToEndLevelSpeed" type="xs:float" use="required"/>
1226 </xs:complexType>
1227
1228 <xs:complexType name="tSetWheelSpeedCommand">
1229   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>

```



```
1241 </xs:complexType>
1242
1243 <xs:complexType name="tCustomWheelCommand">
1244   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1245   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1246   <xs:attribute name="WheelIndex" type="cef:tWheelIndex" use="optional"/>
1247   <xs:attribute name="Usage" use="required">
1248     <xs:simpleType>
1249       <xs:restriction base="xs:string">
1250         <xs:enumeration value="Snap" />
1251         <xs:enumeration value="Range" />
1252       </xs:restriction>
1253     </xs:simpleType>
1254   </xs:attribute>
1255   <xs:attribute name="Description" type="xs:string" use="required"/>
1256   <xs:attribute name="ShortDescription" type="xs:string" use="optional"/>
1257   <xs:attribute name="From" type="xs:string" use="optional"/>
1258   <xs:attribute name="To" type="xs:string" use="optional"/>
1259 </xs:complexType>
1260
1261 <xs:complexType name="tSetFramingShutterDepthCommand">
1262   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1263   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1264   <xs:attribute name="Index" type="cef:tFramingShutterIndex" use="required"/>
1265   <xs:attribute name="ToStartLevelDepth" type="cef:tFramingShutterDepthValue" use="required"/>
1266   <xs:attribute name="ToEndLevelDepth" type="cef:tFramingShutterDepthValue" use="required"/>
1267 </xs:complexType>
1268
1269 <xs:complexType name="tSetFramingShutterAngleCommand">
1270   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1271   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1272   <xs:attribute name="Index" type="cef:tFramingShutterIndex" use="required"/>
1273   <xs:attribute name="ToStartLevelAngle" type="cef:tFramingShutterAngleValue" use="required"/>
1274   <xs:attribute name="ToEndLevelAngle" type="cef:tFramingShutterAngleValue" use="required"/>
1275 </xs:complexType>
1276
1277 <xs:complexType name="tSetFramingShutterPackageAngleCommand">
1278   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1279   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1280   <xs:attribute name="ToStartLevelAngle" type="xs:float" use="required"/>
1281   <xs:attribute name="ToEndLevelAngle" type="xs:float" use="required"/>
1282 </xs:complexType>
1283
1284 <xs:complexType name="tSetMotionModeCommand">
1285   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1286   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1287   <xs:attribute name="Index" type="cef:tAxisIndex" use="required"/>
1288   <xs:attribute name="ToMode" use="required">
1289     <xs:simpleType>
1290       <xs:restriction base="xs:string">
1291         <xs:enumeration value="Indexed" />
1292         <xs:enumeration value="Spinning" />
1293       </xs:restriction>
1294     </xs:simpleType>
1295   </xs:attribute>
1296 </xs:complexType>
1297
1298 <xs:complexType name="tMotionCommand">
1299   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1300   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1301   <xs:attribute name="Layer" type="cef:tControlLayer" use="optional"/>
1302   <xs:attribute name="Index" type="cef:tAxisIndex" use="required"/>
1303 </xs:complexType>
1304
1305 <xs:complexType name="tSetMotionDirectionCommand">
1299 </xs:complexType>
1300
1301 <xs:complexType name="tCustomWheelCommand">
1302   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1303   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1304   <xs:attribute name="WheelIndex" type="cef:tWheelIndex" use="optional"/>
1305   <xs:attribute name="Usage" use="required">
1306     <xs:simpleType>
1307       <xs:restriction base="xs:string">
1308         <xs:enumeration value="Snap" />
1309         <xs:enumeration value="Range" />
1310       </xs:restriction>
1311     </xs:simpleType>
1312   </xs:attribute>
1313   <xs:attribute name="Description" type="xs:string" use="required"/>
1314   <xs:attribute name="ShortDescription" type="xs:string" use="optional"/>
1315   <xs:attribute name="From" type="xs:string" use="optional"/>
1316   <xs:attribute name="To" type="xs:string" use="optional"/>
1317 </xs:complexType>
1318
1319 <xs:complexType name="tSetFramingShutterDepthCommand">
1320   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1321   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1322   <xs:attribute name="Index" type="cef:tFramingShutterIndex" use="required"/>
1323   <xs:attribute name="ToStartLevelDepth" type="cef:tFramingShutterDepthValue" use="required"/>
1324   <xs:attribute name="ToEndLevelDepth" type="cef:tFramingShutterDepthValue" use="required"/>
1325 </xs:complexType>
1326
1327 <xs:complexType name="tSetFramingShutterAngleCommand">
1328   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1329   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1330   <xs:attribute name="Index" type="cef:tFramingShutterIndex" use="required"/>
1331   <xs:attribute name="ToStartLevelAngle" type="cef:tFramingShutterAngleValue" use="required"/>
1332   <xs:attribute name="ToEndLevelAngle" type="cef:tFramingShutterAngleValue" use="required"/>
1333 </xs:complexType>
1334
1335 <xs:complexType name="tSetFramingShutterPackageAngleCommand">
1336   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1337   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1338   <xs:attribute name="ToStartLevelAngle" type="xs:float" use="required"/>
1339   <xs:attribute name="ToEndLevelAngle" type="xs:float" use="required"/>
1340 </xs:complexType>
1341
1342 <xs:complexType name="tSetMotionModeCommand">
1343   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1344   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1345   <xs:attribute name="Index" type="cef:tAxisIndex" use="required"/>
1346   <xs:attribute name="ToMode" use="required">
1347     <xs:simpleType>
1348       <xs:restriction base="xs:string">
1349         <xs:enumeration value="Indexed" />
1350         <xs:enumeration value="Spinning" />
1351       </xs:restriction>
1352     </xs:simpleType>
1353   </xs:attribute>
1354 </xs:complexType>
1355
1356 <xs:complexType name="tMotionCommand">
1357   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1358   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1359   <xs:attribute name="Layer" type="cef:tControlLayer" use="optional"/>
1360   <xs:attribute name="Index" type="cef:tAxisIndex" use="required"/>
1361 </xs:complexType>
1362
1363 <xs:complexType name="tSetMotionDirectionCommand">
```

```

1306 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1307 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1308 <xs:attribute name="Index" type="cef:tAxisIndex" use="required"/>
1309 <xs:attribute name="ToDirection" use="required">
1310 <xs:simpleType>
1311 <xs:restriction base="xs:string">
1312 <xs:enumeration value="Reverse" />
1313 <xs:enumeration value="Forward" />
1314 </xs:restriction>
1315 </xs:simpleType>
1316 </xs:attribute>
1317 </xs:complexType>
1318
1319 <xs:complexType name="tMotionSpeedCommand">
1320 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1321 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1322 <xs:attribute name="Index" type="cef:tAxisIndex" use="required"/>
1323 <xs:attribute name="ToStartSpeed" type="cef:tWideRangeValue" use="required"/>
1324 <xs:attribute name="ToEndSpeed" type="cef:tWideRangeValue" use="required"/>
1325 </xs:complexType>
1326
1327 <xs:complexType name="tMotionTimeCommand">
1328 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1329 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1330 <xs:attribute name="Index" type="cef:tAxisIndex" use="required"/>
1331 <xs:attribute name="ToStartTime" type="cef:tTimeRangeValue" use="required"/>
1332 <xs:attribute name="ToEndTime" type="cef:tTimeRangeValue" use="required"/>
1333 </xs:complexType>
1334
1335 <xs:complexType name="tSetVectorPositionCommand">
1336 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1337 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1338 <xs:attribute name="Index" type="xs:unsignedInt" use="required"/>
1339 <xs:attribute name="ToStartPosition" type="cef:tUnboundedRangeValue" use="required"/>
1340 <xs:attribute name="ToEndPosition" type="cef:tUnboundedRangeValue" use="required"/>
1341 </xs:complexType>
1342
1343 <xs:complexType name="tSelectMacroCatalogCommand">
1344 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1345 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1346 <xs:attribute name="Catalog" type="xs:unsignedByte" use="required"/>
1347 <xs:attribute name="Text" type="xs:string" use="optional" />
1348 </xs:complexType>
1349
1350 <xs:complexType name="tSelectMacroCommand">
1351 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1352 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1353 <xs:attribute name="Catalog" type="xs:unsignedByte" use="optional"/>
1354 <xs:attribute name="Index" type="xs:unsignedByte" use="required"/>
1355 <xs:attribute name="Text" type="xs:string" use="optional" />
1356 </xs:complexType>
1357
1358 <xs:complexType name="tMacroParameterCommand">
1359 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1360 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1361 <xs:attribute name="Catalog" type="xs:unsignedByte" use="optional"/>
1362 <xs:attribute name="Index" type="xs:unsignedByte" use="required"/>
1363 <xs:attribute name="Usage" use="required">
1364 <xs:simpleType>
1365 <xs:restriction base="xs:string">
1366 <xs:enumeration value="Snap" />
1367 <xs:enumeration value="Range" />
1368 </xs:restriction>
1369 </xs:simpleType>
1370 </xs:attribute>
1371 <xs:attribute name="Description" type="xs:string" use="required"/>
1372 <xs:attribute name="ShortDescription" type="xs:string" use="optional"/>
1373 <xs:attribute name="From" type="xs:string" use="optional"/>
1374 <xs:attribute name="To" type="xs:string" use="optional"/>

```

```

1364 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1365 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1366 <xs:attribute name="Index" type="cef:tAxisIndex" use="required"/>
1367 <xs:attribute name="ToDirection" use="required">
1368 <xs:simpleType>
1369 <xs:restriction base="xs:string">
1370 <xs:enumeration value="Reverse" />
1371 <xs:enumeration value="Forward" />
1372 </xs:restriction>
1373 </xs:simpleType>
1374 </xs:attribute>
1375 </xs:complexType>
1376
1377 <xs:complexType name="tMotionSpeedCommand">
1378 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1379 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1380 <xs:attribute name="Index" type="cef:tAxisIndex" use="required"/>
1381 <xs:attribute name="ToStartSpeed" type="cef:tWideRangeValue" use="required"/>
1382 <xs:attribute name="ToEndSpeed" type="cef:tWideRangeValue" use="required"/>
1383 </xs:complexType>
1384
1385 <xs:complexType name="tMotionTimeCommand">
1386 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1387 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1388 <xs:attribute name="Index" type="cef:tAxisIndex" use="required"/>
1389 <xs:attribute name="ToStartTime" type="cef:tTimeRangeValue" use="required"/>
1390 <xs:attribute name="ToEndTime" type="cef:tTimeRangeValue" use="required"/>
1391 </xs:complexType>
1392
1393 <xs:complexType name="tSetVectorPositionCommand">
1394 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1395 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1396 <xs:attribute name="Index" type="xs:unsignedInt" use="required"/>
1397 <xs:attribute name="ToStartPosition" type="cef:tUnboundedRangeValue" use="required"/>
1398 <xs:attribute name="ToEndPosition" type="cef:tUnboundedRangeValue" use="required"/>
1399 </xs:complexType>
1400
1401 <xs:complexType name="tSelectMacroCatalogCommand">
1402 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1403 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1404 <xs:attribute name="Catalog" type="xs:unsignedByte" use="required"/>
1405 <xs:attribute name="Text" type="xs:string" use="optional" />
1406 </xs:complexType>
1407
1408 <xs:complexType name="tSelectMacroCommand">
1409 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1410 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1411 <xs:attribute name="Catalog" type="xs:unsignedByte" use="optional"/>
1412 <xs:attribute name="Index" type="xs:unsignedByte" use="required"/>
1413 <xs:attribute name="Text" type="xs:string" use="optional" />
1414 </xs:complexType>
1415
1416 <xs:complexType name="tMacroParameterCommand">
1417 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1418 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1419 <xs:attribute name="Catalog" type="xs:unsignedByte" use="optional"/>
1420 <xs:attribute name="Index" type="xs:unsignedByte" use="required"/>
1421 <xs:attribute name="Usage" use="required">
1422 <xs:simpleType>
1423 <xs:restriction base="xs:string">
1424 <xs:enumeration value="Snap" />
1425 <xs:enumeration value="Range" />
1426 </xs:restriction>
1427 </xs:simpleType>
1428 </xs:attribute>
1429 <xs:attribute name="Description" type="xs:string" use="required"/>
1430 <xs:attribute name="ShortDescription" type="xs:string" use="optional"/>
1431 <xs:attribute name="From" type="xs:string" use="optional"/>
1432 <xs:attribute name="To" type="xs:string" use="optional"/>

```



```
1375 </xs:complexType>
1376
1377 <xs:complexType name="tSetMacroDirectionCommand">
1378   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1379   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1380   <xs:attribute name="ToDirection" use="required">
1381     <xs:simpleType>
1382       <xs:restriction base="xs:string">
1383         <xs:enumeration value="Reverse" />
1384         <xs:enumeration value="Forward" />
1385       </xs:restriction>
1386     </xs:simpleType>
1387   </xs:attribute>
1388 </xs:complexType>
1389
1390 <xs:complexType name="tSetMacroRotationPositionCommand">
1391   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1392   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1393   <xs:attribute name="ToStartLevelAngle" use="required">
1394     <xs:simpleType>
1395       <xs:restriction base="xs:float">
1396         <xs:minInclusive value="0"/>
1397         <xs:maxInclusive value="360"/>
1398       </xs:restriction>
1399     </xs:simpleType>
1400   </xs:attribute>
1401   <xs:attribute name="ToEndLevelAngle" use="required">
1402     <xs:simpleType>
1403       <xs:restriction base="xs:float">
1404         <xs:minInclusive value="0"/>
1405         <xs:maxInclusive value="360"/>
1406       </xs:restriction>
1407     </xs:simpleType>
1408   </xs:attribute>
1409 </xs:complexType>
1410
1411 <xs:complexType name="tSetMacroRotationSpinCommand">
1412   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1413   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1414   <xs:attribute name="ToStartSpeed" type="cef:tWideRangeValue" use="required"/>
1415   <xs:attribute name="ToEndSpeed" type="cef:tWideRangeValue" use="required"/>
1416 </xs:complexType>
1417
1418 <xs:complexType name="tSetMacroRotationDirectionCommand">
1419   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1420   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1421   <xs:attribute name="ToDirection" use="required">
1422     <xs:simpleType>
1423       <xs:restriction base="xs:string">
1424         <xs:enumeration value="Reverse" />
1425         <xs:enumeration value="Forward" />
1426       </xs:restriction>
1427     </xs:simpleType>
1428   </xs:attribute>
1429 </xs:complexType>
1430
1431 <xs:complexType name="tSetMacroFadeTimeCommand">
1432   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1433   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1434   <xs:attribute name="ToStartTime" type="cef:tWideRangeValue" use="required"/>
1435   <xs:attribute name="ToEndTime" type="cef:tWideRangeValue" use="required"/>
1436 </xs:complexType>
1437
1438 <xs:complexType name="tSetLampModeCommand">
1439   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1440   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1441   <xs:attribute name="ToMode" use="required">
1442     <xs:simpleType>
1443       <xs:restriction base="xs:string">
```

```
1433 </xs:complexType>
1434
1435 <xs:complexType name="tSetMacroDirectionCommand">
1436   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1437   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1438   <xs:attribute name="ToDirection" use="required">
1439     <xs:simpleType>
1440       <xs:restriction base="xs:string">
1441         <xs:enumeration value="Reverse" />
1442         <xs:enumeration value="Forward" />
1443       </xs:restriction>
1444     </xs:simpleType>
1445   </xs:attribute>
1446 </xs:complexType>
1447
1448 <xs:complexType name="tSetMacroRotationPositionCommand">
1449   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1450   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1451   <xs:attribute name="ToStartLevelAngle" use="required">
1452     <xs:simpleType>
1453       <xs:restriction base="xs:float">
1454         <xs:minInclusive value="0"/>
1455         <xs:maxInclusive value="360"/>
1456       </xs:restriction>
1457     </xs:simpleType>
1458   </xs:attribute>
1459   <xs:attribute name="ToEndLevelAngle" use="required">
1460     <xs:simpleType>
1461       <xs:restriction base="xs:float">
1462         <xs:minInclusive value="0"/>
1463         <xs:maxInclusive value="360"/>
1464       </xs:restriction>
1465     </xs:simpleType>
1466   </xs:attribute>
1467 </xs:complexType>
1468
1469 <xs:complexType name="tSetMacroRotationSpinCommand">
1470   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1471   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1472   <xs:attribute name="ToStartSpeed" type="cef:tWideRangeValue" use="required"/>
1473   <xs:attribute name="ToEndSpeed" type="cef:tWideRangeValue" use="required"/>
1474 </xs:complexType>
1475
1476 <xs:complexType name="tSetMacroRotationDirectionCommand">
1477   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1478   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1479   <xs:attribute name="ToDirection" use="required">
1480     <xs:simpleType>
1481       <xs:restriction base="xs:string">
1482         <xs:enumeration value="Reverse" />
1483         <xs:enumeration value="Forward" />
1484       </xs:restriction>
1485     </xs:simpleType>
1486   </xs:attribute>
1487 </xs:complexType>
1488
1489 <xs:complexType name="tSetMacroFadeTimeCommand">
1490   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1491   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1492   <xs:attribute name="ToStartTime" type="cef:tWideRangeValue" use="required"/>
1493   <xs:attribute name="ToEndTime" type="cef:tWideRangeValue" use="required"/>
1494 </xs:complexType>
1495
1496 <xs:complexType name="tSetLampModeCommand">
1497   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1498   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1499   <xs:attribute name="ToMode" use="required">
1500     <xs:simpleType>
1501       <xs:restriction base="xs:string">
```

```
1444     <xs:enumeration value="Normal" />
1445     <xs:enumeration value="LowPower" />
1446   </xs:restriction>
1447 </xs:simpleType>
1448 </xs:attribute>
1449 </xs:complexType>
1450
1451 <xs:complexType name="tSetLaserStrobeCommand">
1452   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1453   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1454   <xs:attribute name="ToMode" type="cef:tStrobeMode" use="required"/>
1455   <xs:attribute name="ToStartLevelRate" type="cef:tSimpleRangeValue" use="required"/>
1456   <xs:attribute name="ToEndLevelRate" type="cef:tSimpleRangeValue" use="required"/>
1457 </xs:complexType>
1458
1459 <xs:complexType name="tSetFanModeCommand">
1460   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1461   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1462   <xs:attribute name="ToMode" use="required">
1463     <xs:simpleType>
1464       <xs:restriction base="xs:string">
1465         <xs:enumeration value="Fast" />
1466         <xs:enumeration value="Slow" />
1467       </xs:restriction>
1468     </xs:simpleType>
1469   </xs:attribute>
1470 </xs:complexType>
1471
1472 <xs:complexType name="tCustomCommand">
1473   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1474   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1475   <xs:attribute name="Usage" use="required">
1476     <xs:simpleType>
1477       <xs:restriction base="xs:string">
1478         <xs:enumeration value="Snap" />
1479         <xs:enumeration value="Range" />
1480       </xs:restriction>
1481     </xs:simpleType>
1482   </xs:attribute>
1483   <xs:attribute name="Description" type="xs:string" use="required"/>
1484   <xs:attribute name="ShortDescription" type="xs:string" use="optional"/>
1485   <xs:attribute name="From" type="xs:string" use="optional"/>
1486   <xs:attribute name="To" type="xs:string" use="optional"/>
1487 </xs:complexType>
1488
```

```
1489 <xs:complexType name="tResetCommand">
1490   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1491   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1492   <xs:attribute name="ToType" use="required">
1493     <xs:simpleType>
```

```
1502     <xs:enumeration value="Normal" />
1503     <xs:enumeration value="LowPower" />
1504   </xs:restriction>
1505 </xs:simpleType>
1506 </xs:attribute>
1507 </xs:complexType>
1508
1509 <xs:complexType name="tSetLaserStrobeCommand">
1510   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1511   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1512   <xs:attribute name="ToMode" type="cef:tStrobeMode" use="required"/>
1513   <xs:attribute name="ToStartLevelRate" type="cef:tSimpleRangeValue" use="required"/>
1514   <xs:attribute name="ToEndLevelRate" type="cef:tSimpleRangeValue" use="required"/>
1515 </xs:complexType>
1516
1517 <xs:complexType name="tSetFanModeCommand">
1518   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1519   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1520   <xs:attribute name="ToMode" use="required">
1521     <xs:simpleType>
1522       <xs:restriction base="xs:string">
1523         <xs:enumeration value="Fast" />
1524         <xs:enumeration value="Slow" />
1525       </xs:restriction>
1526     </xs:simpleType>
1527   </xs:attribute>
1528 </xs:complexType>
1529
1530 <xs:complexType name="tCustomCommand">
1531   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1532   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1533   <xs:attribute name="Usage" use="required">
1534     <xs:simpleType>
1535       <xs:restriction base="xs:string">
1536         <xs:enumeration value="Snap" />
1537         <xs:enumeration value="Range" />
1538       </xs:restriction>
1539     </xs:simpleType>
1540   </xs:attribute>
1541   <xs:attribute name="Description" type="xs:string" use="required"/>
1542   <xs:attribute name="ShortDescription" type="xs:string" use="optional"/>
1543   <xs:attribute name="From" type="xs:string" use="optional"/>
1544   <xs:attribute name="To" type="xs:string" use="optional"/>
1545 </xs:complexType>
1546
```

```
1547 <xs:complexType name="tCustomCellCommand">
1548   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1549   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1550   <xs:attribute name="Layer" type="cef:tControlLayer" use="optional"/>
1551   <xs:attribute name="Cell" type="xs:unsignedInt" use="optional"/>
1552   <xs:attribute name="Usage" use="required">
1553     <xs:simpleType>
1554       <xs:restriction base="xs:string">
1555         <xs:enumeration value="Snap" />
1556         <xs:enumeration value="Range" />
1557       </xs:restriction>
1558     </xs:simpleType>
1559   </xs:attribute>
1560   <xs:attribute name="Description" type="xs:string" use="required"/>
1561   <xs:attribute name="ShortDescription" type="xs:string" use="optional"/>
1562   <xs:attribute name="From" type="xs:string" use="optional"/>
1563   <xs:attribute name="To" type="xs:string" use="optional"/>
1564 </xs:complexType>
1565
```

```
1566 <xs:complexType name="tResetCommand">
1567   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1568   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1569   <xs:attribute name="ToType" use="required">
1570     <xs:simpleType>
```

```

1494     <xs:restriction base="xs:string">
1495         <xs:enumeration value="Complete" />
1496         <xs:enumeration value="PanTilt" />
1497         <xs:enumeration value="Colour" />
1498         <xs:enumeration value="Gobo" />
1499         <xs:enumeration value="Strobe" />
1500         <xs:enumeration value="Focus" />
1501         <xs:enumeration value="Zoom" />
1502         <xs:enumeration value="Frost" />
1503         <xs:enumeration value="Iris" />
1504         <xs:enumeration value="AllInternal" />
1505     </xs:restriction>
1506 </xs:simpleType>
1507 </xs:attribute>
1508 </xs:complexType>
1509
1510 <xs:complexType name="tPresetCommand">
1511     <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1512     <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1513     <xs:attribute name="Cells" type="cef:tCellArray" use="optional" />
1514     <xs:attribute name="Usage" use="required">
1515         <xs:simpleType>
1516             <xs:restriction base="xs:string">
1517                 <xs:enumeration value="Snap" />
1518                 <xs:enumeration value="Range" />
1519             </xs:restriction>
1520         </xs:simpleType>
1521     </xs:attribute>
1522     <xs:attribute name="StartColor" type="xs:string" use="optional"/>
1523     <xs:attribute name="EndColor" type="xs:string" use="optional"/>
1524     <xs:attribute name="Description" type="xs:string" use="required"/>
1525     <xs:attribute name="ShortDescription" type="xs:string" use="optional"/>
1526 </xs:complexType>
1527
1528 <xs:complexType name="tPresetScrollCommand">
1529     <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1530     <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1531     <xs:attribute name="ToMode" use="required">
1532         <xs:simpleType>
1533             <xs:restriction base="xs:string">
1534                 <xs:enumeration value="Forward" />
1535                 <xs:enumeration value="Reverse" />
1536                 <xs:enumeration value="Bounce" />
1537                 <xs:enumeration value="Random" />
1538                 <xs:enumeration value="Sound" />
1539                 <xs:enumeration value="Stop" />
1540             </xs:restriction>
1541         </xs:simpleType>
1542     </xs:attribute>
1543 </xs:complexType>
1544
1545 <xs:complexType name="tTextCommand">
1546     <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1547     <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1548     <xs:attribute name="Description" type="xs:string" use="required"/>
1549     <xs:attribute name="ShortDescription" type="xs:string" use="optional"/>
1550 </xs:complexType>
1551
1552 <!-- Common simple types-->
1553 <xs:simpleType name="tVisibility">
1554     <xs:restriction base="xs:string">
1555         <xs:enumeration value="Public" />
1556         <xs:enumeration value="Private" />
1557     </xs:restriction>
1558 </xs:simpleType>
1559
1560 <xs:simpleType name="tGoboType">
1561     <xs:restriction base="xs:string">
1562         <xs:enumeration value="Pattern" />

```

```

1571     <xs:restriction base="xs:string">
1572         <xs:enumeration value="Complete" />
1573         <xs:enumeration value="PanTilt" />
1574         <xs:enumeration value="Colour" />
1575         <xs:enumeration value="Gobo" />
1576         <xs:enumeration value="Strobe" />
1577         <xs:enumeration value="Focus" />
1578         <xs:enumeration value="Zoom" />
1579         <xs:enumeration value="Frost" />
1580         <xs:enumeration value="Iris" />
1581         <xs:enumeration value="AllInternal" />
1582     </xs:restriction>
1583 </xs:simpleType>
1584 </xs:attribute>
1585 </xs:complexType>
1586
1587 <xs:complexType name="tPresetCommand">
1588     <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1589     <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1590     <xs:attribute name="Cells" type="cef:tCellArray" use="optional" />
1591     <xs:attribute name="Usage" use="required">
1592         <xs:simpleType>
1593             <xs:restriction base="xs:string">
1594                 <xs:enumeration value="Snap" />
1595                 <xs:enumeration value="Range" />
1596             </xs:restriction>
1597         </xs:simpleType>
1598     </xs:attribute>
1599     <xs:attribute name="StartColor" type="xs:string" use="optional"/>
1600     <xs:attribute name="EndColor" type="xs:string" use="optional"/>
1601     <xs:attribute name="Description" type="xs:string" use="required"/>
1602     <xs:attribute name="ShortDescription" type="xs:string" use="optional"/>
1603 </xs:complexType>
1604
1605 <xs:complexType name="tPresetScrollCommand">
1606     <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1607     <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1608     <xs:attribute name="ToMode" use="required">
1609         <xs:simpleType>
1610             <xs:restriction base="xs:string">
1611                 <xs:enumeration value="Forward" />
1612                 <xs:enumeration value="Reverse" />
1613                 <xs:enumeration value="Bounce" />
1614                 <xs:enumeration value="Random" />
1615                 <xs:enumeration value="Sound" />
1616                 <xs:enumeration value="Stop" />
1617             </xs:restriction>
1618         </xs:simpleType>
1619     </xs:attribute>
1620 </xs:complexType>
1621
1622 <xs:complexType name="tTextCommand">
1623     <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1624     <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1625     <xs:attribute name="Description" type="xs:string" use="required"/>
1626     <xs:attribute name="ShortDescription" type="xs:string" use="optional"/>
1627 </xs:complexType>
1628
1629 <!-- Common simple types-->
1630 <xs:simpleType name="tVisibility">
1631     <xs:restriction base="xs:string">
1632         <xs:enumeration value="Public" />
1633         <xs:enumeration value="Private" />
1634     </xs:restriction>
1635 </xs:simpleType>
1636
1637 <xs:simpleType name="tGoboType">
1638     <xs:restriction base="xs:string">
1639         <xs:enumeration value="Pattern" />

```

```
1563 <xs:enumeration value="Animation Disc" />
1564 <xs:enumeration value="Linear 2-Facet Prism" />
1565 <xs:enumeration value="Circular 3-Facet Prism" />
1566 <xs:enumeration value="Circular 4-Facet Prism" />
1567 <xs:enumeration value="Linear 4-Facet Prism" />
1568 <xs:enumeration value="Circular 5-Facet Prism" />
1569 <xs:enumeration value="Linear 5-Facet Prism" />
1570 <xs:enumeration value="Round 5-Facet Prism" />
1571 <xs:enumeration value="Circular 6-Facet Prism" />
1572 <xs:enumeration value="Linear 6-Facet Prism" />
1573 <xs:enumeration value="Round 6-Facet Prism" />
1574 <xs:enumeration value="Round 7-Facet Prism" />
1575 <xs:enumeration value="Circular 8-Facet Prism" />
1576 <xs:enumeration value="Linear 8-Facet Prism" />
1577 <xs:enumeration value="Round 9-Facet Prism" />
1578 <xs:enumeration value="Linear 10-Facet Prism" />
1579 <xs:enumeration value="Circular 8-8-16-Facet Prism" />
1580 <xs:enumeration value="Circular 16-16-Facet Prism" />
1581 <xs:enumeration value="Bar Prism" />
1582 <xs:enumeration value="Comet Prism" />
1583 </xs:restriction>
1584 </xs:simpleType>
1585
1586 <xs:simpleType name="tChromaticityValue">
1587 <xs:restriction base="xs:float">
1588 <xs:minInclusive value="0"/>
1589 <xs:maxInclusive value="1"/>
1590 </xs:restriction>
1591 </xs:simpleType>
1592
1593 <xs:simpleType name="tDmxChannelOffset">
1594 <xs:restriction base="xs:unsignedInt">
1595 <xs:minInclusive value="0"/>
1596 <xs:maxInclusive value="511"/>
1597 </xs:restriction>
1598 </xs:simpleType>
1599
1600 <xs:simpleType name="tControlLayer">
1601 <xs:restriction base="xs:string">
1602 <xs:enumeration value="Individual" />
1603 <xs:enumeration value="Group" />
1604 </xs:restriction>
1605 </xs:simpleType>
1606
1607 <xs:simpleType name="tCellArray">
1608 <xs:restriction base="xs:string">
1609 <xs:pattern value="\d+(,\d+)*" />
1610 </xs:restriction>
1611 </xs:simpleType>
1612
1613 <xs:simpleType name="tSimpleRangeValue">
1614 <xs:restriction base="xs:float">
1615 <xs:minInclusive value="0"/>
1616 <xs:maxInclusive value="1"/>
1617 </xs:restriction>
1618 </xs:simpleType>
1619
1620 <xs:simpleType name="tWideRangeValue">
1621 <xs:restriction base="xs:float">
1622 <xs:minInclusive value="-1"/>
1623 <xs:maxInclusive value="1"/>
1624 </xs:restriction>
1625 </xs:simpleType>
1626
1627 <xs:simpleType name="tUnboundedRangeValue">
1628 <xs:restriction base="xs:float"/>
1629 </xs:simpleType>
1630
1631 <xs:simpleType name="tTimeRangeValue">
```

```
1640 <xs:enumeration value="Animation Disc" />
1641 <xs:enumeration value="Linear 2-Facet Prism" />
1642 <xs:enumeration value="Circular 3-Facet Prism" />
1643 <xs:enumeration value="Circular 4-Facet Prism" />
1644 <xs:enumeration value="Linear 4-Facet Prism" />
1645 <xs:enumeration value="Circular 5-Facet Prism" />
1646 <xs:enumeration value="Linear 5-Facet Prism" />
1647 <xs:enumeration value="Round 5-Facet Prism" />
1648 <xs:enumeration value="Circular 6-Facet Prism" />
1649 <xs:enumeration value="Linear 6-Facet Prism" />
1650 <xs:enumeration value="Round 6-Facet Prism" />
1651 <xs:enumeration value="Round 7-Facet Prism" />
1652 <xs:enumeration value="Circular 8-Facet Prism" />
1653 <xs:enumeration value="Linear 8-Facet Prism" />
1654 <xs:enumeration value="Round 9-Facet Prism" />
1655 <xs:enumeration value="Linear 10-Facet Prism" />
1656 <xs:enumeration value="Circular 8-8-16-Facet Prism" />
1657 <xs:enumeration value="Circular 16-16-Facet Prism" />
1658 <xs:enumeration value="Bar Prism" />
1659 <xs:enumeration value="Comet Prism" />
1660 </xs:restriction>
1661 </xs:simpleType>
1662
1663 <xs:simpleType name="tChromaticityValue">
1664 <xs:restriction base="xs:float">
1665 <xs:minInclusive value="0"/>
1666 <xs:maxInclusive value="1"/>
1667 </xs:restriction>
1668 </xs:simpleType>
1669
1670 <xs:simpleType name="tDmxChannelOffset">
1671 <xs:restriction base="xs:unsignedInt">
1672 <xs:minInclusive value="0"/>
1673 <xs:maxInclusive value="511"/>
1674 </xs:restriction>
1675 </xs:simpleType>
1676
1677 <xs:simpleType name="tControlLayer">
1678 <xs:restriction base="xs:string">
1679 <xs:enumeration value="Individual" />
1680 <xs:enumeration value="Group" />
1681 </xs:restriction>
1682 </xs:simpleType>
1683
1684 <xs:simpleType name="tCellArray">
1685 <xs:restriction base="xs:string">
1686 <xs:pattern value="\d+(,\d+)*" />
1687 </xs:restriction>
1688 </xs:simpleType>
1689
1690 <xs:simpleType name="tSimpleRangeValue">
1691 <xs:restriction base="xs:float">
1692 <xs:minInclusive value="0"/>
1693 <xs:maxInclusive value="1"/>
1694 </xs:restriction>
1695 </xs:simpleType>
1696
1697 <xs:simpleType name="tWideRangeValue">
1698 <xs:restriction base="xs:float">
1699 <xs:minInclusive value="-1"/>
1700 <xs:maxInclusive value="1"/>
1701 </xs:restriction>
1702 </xs:simpleType>
1703
1704 <xs:simpleType name="tUnboundedRangeValue">
1705 <xs:restriction base="xs:float"/>
1706 </xs:simpleType>
1707
1708 <xs:simpleType name="tTimeRangeValue">
```

```
1632 <xs:restriction base="xs:float">
1633 <xs:minInclusive value="0"/>
1634 </xs:restriction>
1635 </xs:simpleType>
1636
1637 <xs:simpleType name="tColorRenderingIndexRangeValue">
1638 <xs:restriction base="xs:float">
1639 <xs:minInclusive value="0"/>
1640 <xs:maxInclusive value="100"/>
1641 </xs:restriction>
1642 </xs:simpleType>
1643
1644 <xs:simpleType name="tColorTemperatureRangeValue">
1645 <xs:restriction base="xs:float">
1646 <xs:minInclusive value="0"/>
1647 <xs:maxInclusive value="30000"/>
1648 </xs:restriction>
1649 </xs:simpleType>
1650
1651 <xs:simpleType name="tFramingShutterDepthValue">
1652 <xs:restriction base="xs:float">
1653 <xs:minInclusive value="0"/>
1654 <xs:maxInclusive value="2"/>
1655 </xs:restriction>
1656 </xs:simpleType>
1657
1658 <xs:simpleType name="tFramingShutterAngleValue">
1659 <xs:restriction base="xs:float">
1660 <xs:minInclusive value="-360"/>
1661 <xs:maxInclusive value="360"/>
1662 </xs:restriction>
1663 </xs:simpleType>
1664
1665 <xs:simpleType name="tOnOff">
1666 <xs:restriction base="xs:string">
1667 <xs:enumeration value="On" />
1668 <xs:enumeration value="Off" />
1669 </xs:restriction>
1670 </xs:simpleType>
1671
1672 <xs:simpleType name="tStrobeMode">
1673 <xs:restriction base="xs:string">
1674 <xs:enumeration value="Linear" />
1675 <xs:enumeration value="Random" />
1676 <xs:enumeration value="ApertureRandom" />
1677 <xs:enumeration value="SynchronizedRandom" />
1678 <xs:enumeration value="Lightning" />
1679 <xs:enumeration value="Spikes" />
1680 </xs:restriction>
1681 </xs:simpleType>
1682
1683 <xs:simpleType name="tStrobeTransition">
1684 <xs:restriction base="xs:string">
1685 <xs:enumeration value="RampRamp" />
1686 <xs:enumeration value="RampSnap" />
1687 <xs:enumeration value="SnapRamp" />
1688 <xs:enumeration value="SnapSnap" />
1689 </xs:restriction>
1690 </xs:simpleType>
1691
1692 <xs:simpleType name="tFrostIndex">
1693 <xs:restriction base="xs:unsignedInt">
1694 <xs:minInclusive value="1"/>
1695 <xs:maxInclusive value="3"/>
1696 </xs:restriction>
1697 </xs:simpleType>
1698
1699 <xs:simpleType name="tWheelIndex">
1700 <xs:restriction base="xs:unsignedInt">
```

```
1709 <xs:restriction base="xs:float">
1710 <xs:minInclusive value="0"/>
1711 </xs:restriction>
1712 </xs:simpleType>
1713
1714 <xs:simpleType name="tColorRenderingIndexRangeValue">
1715 <xs:restriction base="xs:float">
1716 <xs:minInclusive value="0"/>
1717 <xs:maxInclusive value="100"/>
1718 </xs:restriction>
1719 </xs:simpleType>
1720
1721 <xs:simpleType name="tColorTemperatureRangeValue">
1722 <xs:restriction base="xs:float">
1723 <xs:minInclusive value="0"/>
1724 <xs:maxInclusive value="30000"/>
1725 </xs:restriction>
1726 </xs:simpleType>
1727
1728 <xs:simpleType name="tFramingShutterDepthValue">
1729 <xs:restriction base="xs:float">
1730 <xs:minInclusive value="0"/>
1731 <xs:maxInclusive value="2"/>
1732 </xs:restriction>
1733 </xs:simpleType>
1734
1735 <xs:simpleType name="tFramingShutterAngleValue">
1736 <xs:restriction base="xs:float">
1737 <xs:minInclusive value="-360"/>
1738 <xs:maxInclusive value="360"/>
1739 </xs:restriction>
1740 </xs:simpleType>
1741
1742 <xs:simpleType name="tOnOff">
1743 <xs:restriction base="xs:string">
1744 <xs:enumeration value="On" />
1745 <xs:enumeration value="Off" />
1746 </xs:restriction>
1747 </xs:simpleType>
1748
1749 <xs:simpleType name="tStrobeMode">
1750 <xs:restriction base="xs:string">
1751 <xs:enumeration value="Linear" />
1752 <xs:enumeration value="Random" />
1753 <xs:enumeration value="ApertureRandom" />
1754 <xs:enumeration value="SynchronizedRandom" />
1755 <xs:enumeration value="Lightning" />
1756 <xs:enumeration value="Spikes" />
1757 </xs:restriction>
1758 </xs:simpleType>
1759
1760 <xs:simpleType name="tStrobeTransition">
1761 <xs:restriction base="xs:string">
1762 <xs:enumeration value="RampRamp" />
1763 <xs:enumeration value="RampSnap" />
1764 <xs:enumeration value="SnapRamp" />
1765 <xs:enumeration value="SnapSnap" />
1766 </xs:restriction>
1767 </xs:simpleType>
1768
1769 <xs:simpleType name="tFrostIndex">
1770 <xs:restriction base="xs:unsignedInt">
1771 <xs:minInclusive value="1"/>
1772 <xs:maxInclusive value="3"/>
1773 </xs:restriction>
1774 </xs:simpleType>
1775
1776 <xs:simpleType name="tWheelIndex">
1777 <xs:restriction base="xs:unsignedInt">
```

```
1701     <xs:minInclusive value="1"/>
1702   </xs:restriction>
1703 </xs:simpleType>
1704
1705 <xs:simpleType name="tFramingShutterIndex">
1706   <xs:restriction base="xs:unsignedInt">
1707     <xs:minInclusive value="1"/>
1708     <xs:maxInclusive value="4"/>
1709   </xs:restriction>
1710 </xs:simpleType>
1711
1712 <xs:simpleType name="tAxisIndex">
1713   <xs:restriction base="xs:unsignedInt">
1714     <xs:minInclusive value="1"/>
1715   </xs:restriction>
1716 </xs:simpleType>
1717
1718 <xs:simpleType name="tLightMode">
1719   <xs:restriction base="xs:string">
1720     <xs:enumeration value="Direct" />
1721     <xs:enumeration value="ColorTemperature" />
1722     <xs:enumeration value="ColorTemperaturePlus" />
1723     <xs:enumeration value="RGB" />
1724     <xs:enumeration value="RGBPlus" />
1725     <xs:enumeration value="HSV" />
1726     <xs:enumeration value="HSVPlus" />
1727     <xs:enumeration value="CIE" />
1728   </xs:restriction>
1729 </xs:simpleType>
1730
1731 <xs:simpleType name="tWheelMode">
1732   <xs:restriction base="xs:string">
1733     <xs:enumeration value="Indexed" />
1734     <xs:enumeration value="Continuous" />
1735     <xs:enumeration value="Mixed" />
1736     <xs:enumeration value="Spinning" />
1737     <xs:enumeration value="Oscillating" />
1738     <xs:enumeration value="Random" />
1739   </xs:restriction>
1740 </xs:simpleType>
1741
1742 <xs:simpleType name="tNonRandomWheelMode">
1743   <xs:restriction base="xs:string">
1744     <xs:enumeration value="Indexed" />
1745     <xs:enumeration value="Continuous" />
1746     <xs:enumeration value="Mixed" />
1747     <xs:enumeration value="Spinning" />
1748     <xs:enumeration value="Oscillating" />
1749   </xs:restriction>
1750 </xs:simpleType>
1751
1752 <xs:simpleType name="tWheelFrameMode">
1753   <xs:restriction base="xs:string">
1754     <xs:enumeration value="Indexed" />
1755     <xs:enumeration value="Spinning" />
1756   </xs:restriction>
1757 </xs:simpleType>
1758
1759 <xs:simpleType name="tWheelSpinDirection">
1760   <xs:restriction base="xs:string">
1761     <xs:enumeration value="Forward" />
1762     <xs:enumeration value="Reverse" />
1763   </xs:restriction>
1764 </xs:simpleType>
1765
1766 <xs:simpleType name="tBoolean">
1767   <xs:restriction base="xs:string">
```

```
1778     <xs:minInclusive value="1"/>
1779   </xs:restriction>
1780 </xs:simpleType>
1781
1782 <xs:simpleType name="tFramingShutterIndex">
1783   <xs:restriction base="xs:unsignedInt">
1784     <xs:minInclusive value="1"/>
1785     <xs:maxInclusive value="4"/>
1786   </xs:restriction>
1787 </xs:simpleType>
1788
1789 <xs:simpleType name="tAxisIndex">
1790   <xs:restriction base="xs:unsignedInt">
1791     <xs:minInclusive value="1"/>
1792   </xs:restriction>
1793 </xs:simpleType>
1794
1795 <xs:simpleType name="tLightMode">
1796   <xs:restriction base="xs:string">
1797     <xs:enumeration value="Direct" />
1798     <xs:enumeration value="ColorTemperature" />
1799     <xs:enumeration value="ColorTemperaturePlus" />
1800     <xs:enumeration value="RGB" />
1801     <xs:enumeration value="RGBPlus" />
1802     <xs:enumeration value="HSV" />
1803     <xs:enumeration value="HSVPlus" />
1804     <xs:enumeration value="CIE" />
1805     <xs:enumeration value="Filter" />
1806     <xs:enumeration value="AlternateFilter" />
1807   </xs:restriction>
1808 </xs:simpleType>
1809
1810 <xs:simpleType name="tWheelMode">
1811   <xs:restriction base="xs:string">
1812     <xs:enumeration value="Indexed" />
1813     <xs:enumeration value="Continuous" />
1814     <xs:enumeration value="Mixed" />
1815     <xs:enumeration value="Spinning" />
1816     <xs:enumeration value="Oscillating" />
1817     <xs:enumeration value="Random" />
1818   </xs:restriction>
1819 </xs:simpleType>
1820
1821 <xs:simpleType name="tNonRandomWheelMode">
1822   <xs:restriction base="xs:string">
1823     <xs:enumeration value="Indexed" />
1824     <xs:enumeration value="Continuous" />
1825     <xs:enumeration value="Mixed" />
1826     <xs:enumeration value="Spinning" />
1827     <xs:enumeration value="Oscillating" />
1828   </xs:restriction>
1829 </xs:simpleType>
1830
1831 <xs:simpleType name="tWheelFrameMode">
1832   <xs:restriction base="xs:string">
1833     <xs:enumeration value="Indexed" />
1834     <xs:enumeration value="Spinning" />
1835   </xs:restriction>
1836 </xs:simpleType>
1837
1838 <xs:simpleType name="tWheelSpinDirection">
1839   <xs:restriction base="xs:string">
1840     <xs:enumeration value="Forward" />
1841     <xs:enumeration value="Reverse" />
1842   </xs:restriction>
1843 </xs:simpleType>
1844
1845 <xs:simpleType name="tBoolean">
1846   <xs:restriction base="xs:string">
```

```
1768     <xs:enumeration value="True" />
1769     <xs:enumeration value="False" />
1770 </xs:restriction>
1771 </xs:simpleType>
1772
1773 <xs:simpleType name="tPositiveFloat">
1774   <xs:restriction base="xs:float">
1775     <xs:minInclusive value="0" />
1776   </xs:restriction>
1777 </xs:simpleType>
1778
1779 </xs:schema>
```

```
1847     <xs:enumeration value="True" />
1848     <xs:enumeration value="False" />
1849 </xs:restriction>
1850 </xs:simpleType>
1851
1852 <xs:simpleType name="tPositiveFloat">
1853   <xs:restriction base="xs:float">
1854     <xs:minInclusive value="0" />
1855   </xs:restriction>
1856 </xs:simpleType>
1857
1858 </xs:schema>
```